



# Consumer Product Catalog

LED • Motion Activated • Floodlights • Dusk to Dawn • Worklights  
Recessed • Fluorescent • Exit/Emergency • Track



Cooper Lighting is one of the world's largest manufacturers of residential, commercial, industrial, institutional, and roadway lighting fixtures. Cooper Lighting's brands have been trusted over the years for their quality and performance. Intensive market research, new-product development, an extensive sales network and a dedicated customer fulfillment team are leading examples of Cooper Lighting's commitment to the lighting industry.

To ensure and support our Customer First commitment, Cooper Lighting has aggressively invested in key product acquisitions, a state-of-the-art distribution and service network, and technically superior manufacturing facilities. Cooper Lighting's vast system of dedicated resources gets the right product to the right place—at the right time—time and time again.



### **Products**

Cooper Lighting provides high quality products and services that best suit the needs of each customer within every segment of the lighting industry. This goal is achieved through intensive market research and product development combined with an industry-first, state-of-the-art distribution and service network.

### **Knowledge**

No other manufacturer stands behind its customers like Cooper Lighting—from products to service to education—Cooper Lighting makes a difference. The Source, Cooper Lighting's training and teaching facility, offers professional seminars in lighting technology, effect and performance.

### **Service**

We put you first, and support our philosophy with a dedicated Customer First Center with centralized warehousing, distribution and customer service for all your lighting requirements. We are committed to being your single source for all your lighting needs.

### **Support**

In the area of electronic commerce, Cooper Lighting continues to stay on the cutting edge to support our customers. Customer ordering via Web Services, EDI, and Fax along with order cycle process management and notification creates a seamless, efficient order cycle process to best serve our customers.

### **Technology**

Cooper Lighting is the source for superior quality lighting products in all markets, bringing creativity, insight, and knowledge together to provide the best, and the brightest, lighting solutions.

## Product Features & Technologies

Cooper Lighting is the source for superior quality lighting products in all markets, bringing creativity, insight, and knowledge together to provide the best and the brightest lighting solutions. Below you will find descriptions that detail some of the features and technology icons listed throughout this book.

For more information, contact your representative or visit [www.cooperlighting.com](http://www.cooperlighting.com).




### UL® Listed

Tested and listed with Underwriters Laboratory for product safety certification.



### Energy Star®

Meets ENERGY STAR® requirements to help save money and protect the environment through energy efficiency.



### California Title 24

Meets California Title 24 energy efficiency standards for residential and non-residential buildings.



### LED Technology

Uses long lasting, energy efficient, white LED technology.



### Solar Powered

Easy installation and energy efficient. Perfect for applications where line voltage is not available.



### Degree of Motion

We offer multiple options for the detection range you need with our Motion Activated products.

For a quick reference, look for the degree of motion icons.



### Precision Plus Doppler Radar™

Patented motion sensing technology that combines both PIR and Doppler radar technology for optimal detection.



### Commercial Linear Disconnect

Factory supplied pre-wired disconnect. Meets NEC and CEC code requirements.



### Fluorescent Lamp Technology

Metalux provides a full range of energy efficient lighting solutions in T8, T5 and LED platforms.



### Cold Start Ballast

Standard T8 ballasts support cold start down to 0°F. Perfect for unheated locations such as sheds, shops, and garages.

**Motion Activated**  
2-11

**Floodlights**  
12-17

**Dusk to Dawn**  
18-25

**Worklights**  
26-32

**Recessed Lighting**  
33-55

**Fluorescent Lighting**  
56-64

**Exit / Emergency**  
65-67

**Track Lighting**  
68-73

**Bulbs & Accessories**  
74-79



# Motion Activated Outdoor Security Floodlights

Motion activated lighting is an energy efficient way to provide convenience and security lighting to any home or office. When motion is detected, these attractive fixtures provide light which welcomes guests or startles intruders.

**COOPER** Lighting

## Detection Zones

Our line of motion activated security lights offer a wide selection of detection zones and motion sensitive technologies.

- 270°** Total corner coverage for the widest area of security lighting
- 180°** Complete wall to wall coverage for garage & patio areas
- 110°** Smaller area coverage best for door and walkways



# ALL-PRO™

## MOTION ACTIVATED

### Introducing LED Motion Activated Fixtures!

Cooper Lighting's new line of LED motion activated fixtures offer the convenience of proven outdoor security and the sustainability of LED technology. LED lighting provides the ability to truly install the fixture and walk away, while saving up to 90% in energy versus traditional light sources. This fixture family is complete with different styles and lumen outputs to best match the application.

**Sustainable Design™**




**SAVES** up to  
**90%**  
**energy**  
vs. traditional light sources



### 110° Motion Sensor – Small Single Head LED Security Floodlight

- 1350 – 1400 Lumens; up to 68 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Motion sensor detects motion 110° up to 70 ft.
- Motion sensor turns light ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



#### Available Products

| Model #     | Description                                                  | Unit Carton UPC | Master Carton Qty. |
|-------------|--------------------------------------------------------------|-----------------|--------------------|
| MSS11315LES | 110° Small Single Head LED Floodlight - Bronze - Energy Star | 0 80083 62430 0 | 2                  |
| MSS11315L   | 110° Small Single Head LED Floodlight - Bronze               | 0 80083 63009 7 | 2                  |
| MSS11315WES | 110° Small Single Head LED Floodlight - White - Energy Star  | 0 80083 63010 3 | 2                  |
| MSS11315W   | 110° Small Single Head LED Floodlight - White                | 0 80083 63011 0 | 2                  |



### 180° Motion Sensor – Large Single Head LED Security Floodlight

- 1800 – 2100 Lumens; up to 69 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Motion sensor detects motion 180° up to 70 ft.
- Motion sensor turns light ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



#### Available Products

| Model #      | Description                                                  | Unit Carton UPC | Master Carton Qty. |
|--------------|--------------------------------------------------------------|-----------------|--------------------|
| MSL18920LES  | 180° Large Single Head LED Floodlight - Bronze - Energy Star | 0 80083 63012 7 | 2                  |
| MSL18920L    | 180° Large Single Head LED Floodlight - Bronze               | 0 80083 63013 4 | 2                  |
| MSL18920LWES | 180° Large Single Head LED Floodlight - White - Energy Star  | 0 80083 63014 1 | 2                  |
| MSL18920LW   | 180° Large Single Head LED Floodlight - White                | 0 80083 63015 8 | 2                  |



## 180° Motion Sensor – Twin Head LED Security Floodlight

- 1800 – 2300 Lumens; up to 74 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Motion sensor detects motion 180° up to 70 ft.
- Motion sensor turns light ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #             | Description                                          | Unit Carton UPC | Master Carton Qty. |
|---------------------|------------------------------------------------------|-----------------|--------------------|
| <b>MST18920LES</b>  | 180° Twin Head LED Floodlight - Bronze - Energy Star | 0 80083 63026 4 | 2                  |
| <b>MST18920L</b>    | 180° Twin Head LED Floodlight - Bronze               | 0 80083 63027 1 | 2                  |
| <b>MST18920LWES</b> | 180° Twin Head LED Floodlight - White - Energy Star  | 0 80083 63028 8 | 2                  |
| <b>MST18920LW</b>   | 180° Twin Head LED Floodlight - White                | 0 80083 63029 5 | 2                  |



## 270° Motion Sensor – Twin Head LED Security Floodlight

- 1800 – 2300 Lumens; up to 74 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Motion sensor detects motion 270° up to 70 ft.
- Motion sensor turns light ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #             | Description                                          | Unit Carton UPC | Master Carton Qty. |
|---------------------|------------------------------------------------------|-----------------|--------------------|
| <b>MST27920LES</b>  | 270° Twin Head LED Floodlight - Bronze - Energy Star | 0 80083 63030 1 | 2                  |
| <b>MST27920L</b>    | 270° Twin Head LED Floodlight - Bronze               | 0 80083 63031 8 | 2                  |
| <b>MST27920LWES</b> | 270° Twin Head LED Floodlight - White - Energy Star  | 0 80083 63032 5 | 2                  |
| <b>MST27920LW</b>   | 270° Twin Head LED Floodlight - White                | 0 80083 63033 2 | 2                  |

## Precision Plus Doppler Radar™

Precision Plus Doppler Radar™ elevates motion security to a new dimension. It protects your home with improved reliability, area coverage and stable performance. Precision Plus Doppler Radar™ revolutionizes the traditional PIR system using highly sensitive Doppler microwave technology which reacts to actual motion – not heat changes. For the past two decades, motion sensor lighting has relied on traditional PIR which detects heat from moving objects, such as people, animals, and cars. Unfortunately, these sensors can be triggered by changes in the wind and temperature, as well as stray objects like branches or leaves. While PIR systems provide good side-to-side coverage, they often fail to detect objects moving straight toward them.


**Traditional PIR -  
Passive Infrared Technology**  
Detects side-to-side  
movement



**Doppler Radar Technology**  
Detects movement  
towards and away  
from home



**Precision Plus Doppler Radar™**  
Combines both PIR and Doppler  
radar technology for  
optimal detection



### 270° Motion Sensor – Precision Plus Doppler Radar™ 200 Watt Twin Head Security Floodlight

- Motion sensor detects 270° up to 90 ft.
- Convenient adjustable friction swivel heads
- Heavy duty die-cast metal rectangular twin head design
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications

(2) 100W Halogen bulbs  
(included)

#### Available Products


| Model # | Description                | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------|-----------------|--------------------|
| MS280D  | 270° 200W Halogen - Bronze | 0 80083 50426 8 | 2                  |
| MS280DW | 270° 200W Halogen - White  | 0 80083 50427 5 | 2                  |





## 270° Motion Sensor – Precision Plus Doppler Radar™ 200 Watt Twin Head Security Floodlight with Lamp Covers

- Motion sensor detects 270° up to 90 ft.
- Die-cast metal housing
- Decorative metal lamp covers
- Easy adjustable heads
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications




### Available Products

| Model #  | Description                            | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------------------|-----------------|--------------------|
| MS276RD  | 270° 200W PAR with Reflectors - Bronze | 0 80083 53914 7 | 2                  |
| MS276RDW | 270° 200W PAR with Reflectors - White  | 0 80083 53915 4 | 2                  |



## 180° Motion Sensor – Precision Plus Doppler Radar™ 200 Watt Twin Head Security Floodlight

- Motion sensor detects 180° up to 70 ft.
- Die-cast metal housing
- Easy adjustable heads
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications




### Available Products

| Model # | Description            | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------|-----------------|--------------------|
| MS185D  | 180° 200W PAR - Bronze | 0 80083 60228 5 | 2                  |
| MS185DW | 180° 200W PAR - White  | 0 80083 60229 2 | 2                  |



## 180° Motion Sensor – Precision Plus Doppler Radar™ 200 Watt Halogen Twin Head Security Floodlight

- Motion sensor detects 180° up to 70 ft.
- Die-cast metal housing
- Easy adjustable heads
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description                | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------|-----------------|--------------------|
| MS187D  | 180° 200W Halogen - Bronze | 0 80083 62807 0 | 2                  |
| MS187DW | 180° 200W Halogen - White  | 0 80083 62808 7 | 2                  |



## 270° Motion Sensor – 200 Watt Twin Head Security Floodlight

- Motion sensor detects motion 270° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications

  
(2) 100W GY8.6  
Halogen bulbs  
(included)



### Available Products

| Model # | Description           | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------|-----------------|--------------------|
| MS248   | 270° Halogen - Bronze | 0 44427 00659 7 | 2                  |
| MS248W  | 270° Halogen - White  | 0 44427 00661 0 | 2                  |



## 270° Motion Sensor – 200 Watt Twin Head Security Floodlight with Lamp Covers

- Motion sensor detects motion 270° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Metal lamp covers provide maximum bulb protection
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications

  
(2) 100W PAR bulbs  
(sold separately)



### Available Products

| Model # | Description                       | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------|-----------------|--------------------|
| MS245R  | 270° PAR with Reflectors - Bronze | 0 44427 00655 9 | 2                  |
| MS245RW | 270° PAR with Reflectors - White  | 0 44427 00657 3 | 2                  |



## 180° Motion Sensor – 200 Watt Twin Head Security Floodlight with Lamp Covers

- Motion sensor detects motion 180° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Metal lamp covers provide maximum bulb protection
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications

  
(2) 100W PAR bulbs  
(sold separately)



### Available Products

| Model # | Description                       | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------|-----------------|--------------------|
| MS185R  | 180° PAR with Reflectors - Bronze | 0 44427 00639 9 | 2                  |
| MS185RW | 180° PAR with Reflectors - White  | 0 44427 00641 2 | 2                  |



## 180° Motion Sensor – 200 Watt Twin Head Security Floodlight

- Motion sensor detects motion 180° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Motion sensor turns lights ON automatically when motion is detected and OFF after a pre-selected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications



(2) 100W PAR bulbs  
(sold separately)



### Available Products

| Model # | Description       | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------|-----------------|--------------------|
| MS185   | 180° PAR - Bronze | 0 44427 00635 1 | 2                  |
| MS185W  | 180° PAR - White  | 0 44427 00637 5 | 2                  |



## 180° Motion Sensor – 300 Watt Security Floodlight

- Motion sensor detects motion 180° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Motion sensor turns light ON automatically when motion is detected and OFF after a pre-selected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Perfect for wall or eave mount applications



300W Halogen bulb  
(included)



### Available Products

| Model # | Description           | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------|-----------------|--------------------|
| MS188   | 180° Halogen - Bronze | 0 44427 00643 6 | 2                  |
| MS188W  | 180° Halogen - White  | 0 44427 00645 0 | 2                  |



## 180° Motion Sensor

- Motion sensor detects motion 180° up to 70 ft.
- Motion sensor turns lights ON automatically when motion is detected and OFF after a preselected time delay (up to 12 minutes)
- Integral photo cell design prevents lights from turning ON with motion during daylight hours (auto modes)
- Power outage protection: saves energy by automatically resetting at dawn if lights are triggered by power interruption
- Maximum load 300 Watts




### Available Products

| Model # | Description          | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------|-----------------|--------------------|
| MS180   | 180° Sensor - Bronze | 0 44427 00631 3 | 4                  |
| MS180W  | 180° Sensor - White  | 0 44427 00633 7 | 4                  |



## 110° Motion Sensor – 300 Watt Twin Head Security Floodlight with Hidden Sensor

- Motion sensor detects motion 110° up to 70 ft.
- Durable plastic construction
- Motion sensor turns lights ON automatically when motion is detected and OFF after a pre-selected time delay
- Lights can be manually turned ON from inside light switch (standard floodlight mode)
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description      | Unit Carton UPC | Master Carton Qty. |
|---------|------------------|-----------------|--------------------|
| MS600   | 180° PAR - Black | 0 44427 00277 3 | 2                  |
| MS600W  | 180° PAR - White | 0 44427 00278 0 | 2                  |



## 110° Motion Sensor – 150 Watt Security Floodlight

- Motion sensor detects motion 110° up to 70 ft.
- Heavy duty die-cast metal housing construction
- Motion sensor turns light ON automatically when motion is detected and OFF after a pre-selected time delay
- Lights can be manually turned ON from inside light switch (standard floodlight mode)
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description          | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------|-----------------|--------------------|
| MS80    | 110° Halogen - Black | 0 44427 00236 0 | 2                  |
| MS80W   | 110° Halogen - White | 0 44427 00230 8 | 2                  |



## 110° Motion Sensor – 300 Watt Twin Head Security Floodlight

- Motion sensor detects motion 110° up to 60 ft.
- Durable plastic construction
- Motion sensor turns light ON automatically when motion is detected and OFF after a pre-selected time delay
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description      | Unit Carton UPC | Master Carton Qty. |
|---------|------------------|-----------------|--------------------|
| MS34    | 110° PAR - Black | 0 44427 35127 7 | 6                  |
| MS34W   | 110° PAR - White | 0 44427 35128 4 | 6                  |



## 110° Motion Sensor – 100 Watt Halogen Plug-In Security Floodlight

- Motion sensor detects motion 110° up to 40 ft.
- Versatile plug-in design, 8-foot extra-reach electrical cord
- Adjustable time and light sensitivity settings
- Manual override – can be used as standard floodlight
- Motion sensor turns light ON automatically when motion is detected and OFF after a pre-selected time delay
- Integral photo cell design prevents light from turning ON during daylight hours
- Perfect for most indoor and outdoor wall mount applications; easy plug-in design



100W Halogen bulb  
(included)



### Available Products

| Model # | Description         | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------|-----------------|--------------------|
| MS100PG | 110° Halogen - Gray | 0 44427 35123 9 | 2                  |



## 180° Motion Sensor Adapter

- Motion sensor detects motion 180° up to 70 ft.
- No wiring or batteries required
- Turns an existing light into a motion activated security light
- Simply mount sensor head and screw adapter into bulb receptacle
- Additional adaptor available



### Available Products

| Model #  | Description                        | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------|-----------------|--------------------|
| MSRU180W | 180° Motion Sensor Adapter - White | 0 44427 35071 3 | 4                  |



HS8

## HS8 – Motion Activated Night Light

- Built-in motion sensor
- Automatically turns on with motion
- Unique design leaves second outlet unobstructed



HS8 - 7W C7 bulb  
(included)



HS85

## HS5 – LED Dusk to Dawn Night Light with Rotatable Head

- Built-in dusk to dawn sensor
- Night Light with rotatable head which directs light in any direction
- Nighttime ON, Daytime OFF
- Unique design leaves second outlet unobstructed

HS5



### Available Products

| Model # | Description                          | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------|-----------------|--------------------|
| HS8     | Motion Activated Night Light - White | 0 44427 50006 4 | 6                  |
| HS5     | LED Dusk to Dawn Night Light - White | 0 44427 00295 7 | 6                  |

**No wiring required!**

**Perfect for sheds, barns, decks and pathways**

**Reduce up to 100% of your electricity costs**

**Limitless supply of renewable energy**

**Provides emergency power in case of storms or other power failures**



## Solar Powered LED Floodlight



### 100° Motion Sensor – Solar Powered LED Light

- Motion sensor detects motion 100° up to 23 ft.
- Durable weather resistant plastic construction
- Installs easily with no wiring necessary
- Built-in solar panel
- Rechargeable batteries (included)
- Motion sensor turns light ON automatically at night when motion is detected
- Light sensor prevents light from turning ON during daylight hours
- Auto 1 minute fixed time setting



#### Available Products

| Model #  | Description            | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------|-----------------|--------------------|
| MSLED100 | 100° LED Solar - Black | 0 80083 51784 8 | 2                  |



### 180° Motion Sensor – Solar Powered LED Light

- Motion sensor detects motion 180° up to 70 ft.
- Durable weather resistant plastic construction
- Installs easily with no wiring necessary
- 6 in. x 8 in. solar panel for maximum charging power with 16 ft. cord
- Motion sensor turns light ON automatically at night when motion is detected
- Adjustable time settings



#### Available Products

| Model #   | Description            | Unit Carton UPC | Master Carton Qty. |
|-----------|------------------------|-----------------|--------------------|
| MSLED180  | 180° LED Solar - Black | 0 80083 56236 7 | 2                  |
| MSLED180W | 180° LED Solar - White | 0 80083 56531 3 | 2                  |



# Floodlights

## Security & Landscape Accent Lighting

Floodlights are a convenient way of lighting any outside area. Simply turn on the inside light switch and enjoy the safety and convenience of a well lit home or office.

 **COOPER** Lighting

# ALL-PRO™

## FLOODLIGHTS

### ***Introducing LED Floodlight Fixtures!***

Cooper Lighting's new line of LED flood fixtures incorporates sustainable LED technology into an aesthetically pleasing fixture family. LED lighting provides the ability to truly install the fixture and walk away, while saving up to 90% in energy versus traditional light sources. This fixture family is complete with different styles and lumen outputs to best match the application.

**SustainabLEDesign™**



**SAVES** <sup>up to</sup>  
**90%**  
**energy**  
*vs. traditional light sources*



## Small Single Head LED Floodlight

- 1350 – 1400 Lumens; up to 68 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #     | Description                                             | Unit Carton UPC | Master Carton Qty. |
|-------------|---------------------------------------------------------|-----------------|--------------------|
| FSS1530LES  | Small Single Head LED Floodlight - Bronze - Energy Star | 0 80083 63034 9 | 2                  |
| FSS1530L    | Small Single Head LED Floodlight - Bronze               | 0 80083 63035 6 | 2                  |
| FSS1530LWES | Small Single Head LED Floodlight - White - Energy Star  | 0 80083 63036 3 | 2                  |
| FSS1530LW   | Small Single Head LED Floodlight - White                | 0 80083 63037 0 | 2                  |



## Large Single Head LED Floodlight

- 1800 – 2100 Lumens; up to 69 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #     | Description                                             | Unit Carton UPC | Master Carton Qty. |
|-------------|---------------------------------------------------------|-----------------|--------------------|
| FSL2030LES  | Large Single Head LED Floodlight - Bronze - Energy Star | 0 80083 63038 7 | 2                  |
| FSL2030L    | Large Single Head LED Floodlight - Bronze               | 0 80083 63041 7 | 2                  |
| FSL2030LWES | Large Single Head LED Floodlight - White - Energy Star  | 0 80083 63039 4 | 2                  |
| FSL2030LW   | Large Single Head LED Floodlight - White                | 0 80083 63040 0 | 2                  |



## Twin Head LED Floodlight

- 1800 – 2300 Lumens; up to 74 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #    | Description                                     | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------------------------|-----------------|--------------------|
| FT2030LES  | Twin Head LED Floodlight - Bronze - Energy Star | 0 80083 63041 7 | 2                  |
| FT2030L    | Twin Head LED Floodlight - Bronze               | 0 80083 63042 4 | 2                  |
| FT2030LWES | Twin Head LED Floodlight - White - Energy Star  | 0 80083 63043 1 | 2                  |
| FT2030LW   | Twin Head LED Floodlight - White                | 0 80083 63044 8 | 2                  |



## 300/500 Watt Halogen Floodlight

- Heavy duty die-cast metal construction
- Hooded design helps protect fixture from rain, while projecting light outward
- Perfect for wall or eave mount applications



300W/500W Halogen bulb  
(included)



### Available Products

| Model #   | Description                | Unit Carton UPC | Master Carton Qty. |
|-----------|----------------------------|-----------------|--------------------|
| EQ-300-WL | 300W Halogen - Bronze      | 0 44427 30095 4 | 6                  |
| WQ300     | 300W Halogen - White       | 0 44427 00144 8 | 6                  |
| GP-500-WL | 500W Halogen - Bronze      | 0 44427 00158 5 | 2                  |
| WQ500     | 500W Halogen - White       | 0 44427 00395 4 | 2                  |
| GP800WL   | 300W/500W Halogen - Bronze | 0 80083 50413 8 | 2                  |
| WQ800     | 300W/500W Halogen - White  | 0 80083 50414 5 | 2                  |



## 500 Watt Industrial Grade Halogen Floodlight

- Heavy duty die-cast metal construction
- Hinged door frame with screw closure for easy bulb replacement
- Perfect for wall or eave mount applications
- Coverplate sold separately



500W Halogen bulb  
(included)



### Available Products

| Model #   | Description           | Unit Carton UPC | Master Carton Qty. |
|-----------|-----------------------|-----------------|--------------------|
| QL-500-WL | 500W Halogen - Bronze | 0 44427 05051 4 | 2                  |



## 300 Watt Compact Twin Head Halogen Floodlight

- Heavy duty die-cast metal construction
- Twin head design
- Perfect for wall or eave mount applications



(2) 150W Halogen bulbs  
(included)



### Available Products


| Model # | Description           | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------|-----------------|--------------------|
| TMQ150  | 300W Halogen - Bronze | 0 44427 00193 6 | 2                  |
| TMQ150W | 300W Halogen - White  | 0 44427 00194 3 | 2                  |





## 150 Watt Compact Halogen Floodlight

- Heavy duty die-cast metal construction
- Attractive compact design is less than half the size of conventional halogen floodlights
- Perfect for wall or eave mount applications



150W Halogen bulb  
(included)



### Available Products

| Model #        | Description           | Unit Carton UPC | Master Carton Qty. |
|----------------|-----------------------|-----------------|--------------------|
| <b>MQF150</b>  | 150W Halogen - Bronze | 0 44427 00191 2 | 6                  |
| <b>MQF150W</b> | 150W Halogen - White  | 0 44427 00192 9 | 6                  |



## 300 Watt Decorative Halogen Floodlight

- Heavy duty die-cast metal construction
- Attractive low-profile design is half the size of conventional halogen floodlights
- Perfect for wall or eave mount applications



300W Halogen bulb  
(included)



### Available Products

| Model #        | Description           | Unit Carton UPC | Master Carton Qty. |
|----------------|-----------------------|-----------------|--------------------|
| <b>ML300Q</b>  | 300W Halogen - Bronze | 0 44427 00108 0 | 6                  |
| <b>ML300QW</b> | 300W Halogen - White  | 0 44427 00116 5 | 6                  |



## 500 Watt Halogen Floodlight with Hinged Door Frame

- Heavy duty die-cast metal construction
- Hinged door frame with spring clasp closure for easy bulb replacement
- Perfect for wall or eave mount applications



500W Halogen bulb  
(included)




### Available Products

| Model #        | Description           | Unit Carton UPC | Master Carton Qty. |
|----------------|-----------------------|-----------------|--------------------|
| <b>HQ500WL</b> | 500W Halogen - Bronze | 0 44427 00720 4 | 6                  |
| <b>HQW500</b>  | 500W Halogen - White  | 0 44427 00242 1 | 6                  |



## 200 Watt Twin Head Halogen Floodlight

- Heavy duty die-cast metal construction
- Decorative floodlight, twin head design
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description           | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------|-----------------|--------------------|
| MX1     | 200W Halogen - Bronze | 0 44427 00327 5 | 2                  |
| MX1W    | 200W Halogen - White  | 0 44427 00328 2 | 2                  |



## 150 Watt Metal PAR Floodlight

- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description       | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------|-----------------|--------------------|
| MT125   | 150W PAR - Bronze | 0 44427 30043 5 | 6                  |
| MT125W  | 150W PAR - White  | 0 44427 30044 2 | 6                  |



## 300 Watt Metal Twin Head PAR Floodlight

- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model # | Description       | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------|-----------------|--------------------|
| MT250   | 300W PAR - Bronze | 0 44427 30047 3 | 6                  |
| MT250W  | 300W PAR - White  | 0 44427 30048 0 | 6                  |



## 300 Watt Plastic Twin Head PAR Floodlight

- Weatherproof and corrosion resistant construction
- Perfect for wall or eave mount applications



(2) 150W PAR bulbs  
(sold separately)



### Available Products

| Model #  | Description       | Unit Carton UPC | Master Carton Qty. |
|----------|-------------------|-----------------|--------------------|
| PWT250BR | 300W PAR - Bronze | 0 44427 30011 4 | 4                  |
| PWT250WH | 300W PAR - White  | 0 44427 30012 1 | 4                  |



## 75 Watt Halogen Landscape Light

- Heavy duty die-cast metal construction lasts years longer than lightweight plastic models
- 3 ft., 18-gauge, 3-wire grounded power cord
- Perfect for landscaping, accents and holiday decorations



75W GY8.6 Halogen bulb  
(included)



### Available Products

| Model # | Description               | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------|-----------------|--------------------|
| SP100   | 75W Halogen Light - Green | 0 44427 00575 0 | 6                  |



## 100 Watt Vapor Tight Incandescent Floodlight

- Vapor tight incandescent light with bulb guard and 1/2 in. conduit openings on top and sides
- Durable, low-maintenance lighting perfect for barn, workshop, shed or livestock lighting
- Perfect for ceiling mount applications



100W Incandescent bulb  
(sold separately)



### Available Products

| Model # | Description                | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------|-----------------|--------------------|
| VT100G  | 100W Incandescent - Silver | 0 44427 55011 3 | 10                 |



# Dusk to Dawn

## Nighttime ON / Daytime OFF

Dusk to Dawn lighting automatically turns ON at dusk and OFF at dawn. Fixtures are available to illuminate small, medium and large areas with convenient, energy efficient lighting.



**COOPER** Lighting

# ALL-PRO™

## DUSK TO DAWN

### ***Introducing LED Dusk to Dawn Fixtures!***

Cooper Lighting's new line of LED flood fixtures with dusk to dawn photo sensors incorporates sustainable LED technology into an aesthetically pleasing fixture family. LED lighting provides the ability to truly install the fixture and walk away, while saving up to 90% in energy versus traditional light sources. This fixture family is complete with different styles and lumen outputs to best match the application.

**Sustainable**LED**Design™**



**SAVES** <sup>up to</sup>  
**90%**  
**energy**

*vs. traditional light sources*



## Small Single Head LED Floodlight with Photo Control

- 1350 – 1400 Lumens; up to 68 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Integral photo control design prevents lights from turning ON during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #       | Description                                             | Unit Carton UPC | Master Carton Qty. |
|---------------|---------------------------------------------------------|-----------------|--------------------|
| FSS1530LPCES  | Small Single Head LED Floodlight - Bronze - Energy Star | 0 80083 63050 9 | 2                  |
| FSS1530LPC    | Small Single Head LED Floodlight - Bronze               | 0 80083 63056 1 | 2                  |
| FSS1530LPCWES | Small Single Head LED Floodlight - White - Energy Star  | 0 80083 63049 3 | 2                  |
| FSS1530LPCW   | Small Single Head LED Floodlight - White                | 0 80083 63055 4 | 2                  |



## Large Single Head LED Floodlight with Photo Control

- 1800 – 2100 Lumens; up to 69 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Integral photo control design prevents lights from turning ON during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #       | Description                                             | Unit Carton UPC | Master Carton Qty. |
|---------------|---------------------------------------------------------|-----------------|--------------------|
| FSL2030LPCES  | Large Single Head LED Floodlight - Bronze - Energy Star | 0 80083 63048 6 | 2                  |
| FSL2030LPC    | Large Single Head LED Floodlight - Bronze               | 0 80083 63054 7 | 2                  |
| FSL2030LPCWES | Large Single Head LED Floodlight - White - Energy Star  | 0 80083 63047 9 | 2                  |
| FSL2030LPCW   | Large Single Head LED Floodlight - White                | 0 80083 63053 0 | 2                  |



## Twin Head LED Floodlight with Photo Control

- 1800 – 2300 Lumens; up to 74 Lumens per watt
- 5000°K Color temperature
- Maintenance-free with 35,000 hours of life
- Integral photo cell design prevents lights from turning ON with motion during the daylight hours
- Heavy duty die-cast metal construction
- Perfect for wall or eave mount applications



### Available Products

| Model #      | Description                                     | Unit Carton UPC | Master Carton Qty. |
|--------------|-------------------------------------------------|-----------------|--------------------|
| FT2030LPCES  | Twin Head LED Floodlight - Bronze - Energy Star | 0 80083 63046 2 | 2                  |
| FT2030LPC    | Twin Head LED Floodlight - Bronze               | 0 80083 63052 3 | 2                  |
| FT2030LPCWES | Twin Head LED Floodlight - White - Energy Star  | 0 80083 63045 5 | 2                  |
| FT2030LPCW   | Twin Head LED Floodlight - White                | 0 80083 63051 6 | 2                  |



## 65 Watt Fluorescent Safety and Security Area Light

- Corrosion resistant die-cast aluminum housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Mounting pattern on top of box allows you to predrill holes for quick and easy installation
- Perfect for lighting dark, secluded areas or any place where a medium-to large concentration of light is needed

\* Aluminum extension arm sold separately



65W mogul base  
Fluorescent bulb  
(included)



### Available Products

| Model #  | Description      | Unit Carton UPC | Master Carton Qty. |
|----------|------------------|-----------------|--------------------|
| AL6501FL | 65W Fluorescent* | 0 80083 58496 3 | 1                  |



## 70/100 Watt Metal Halide Safety and Security Area Light

- Corrosion resistant die-cast aluminum housing
- Nighttime ON/Daytime OFF
- Twist-lock replaceable photo control
- Mounting pattern on top of box allows you to predrill holes for quick and easy installation
- Perfect for lighting dark, secluded areas or any place where a medium-to large concentration of light is needed

\* Aluminum extension arm sold separately



70W or 100W medium base  
Metal Halide bulb (included)



### Available Products

| Model # | Description        | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------|-----------------|--------------------|
| AL100MH | 100W Metal Halide* | 0 80083 58996 8 | 1                  |
| AL70MH  | 70W Metal Halide*  | 0 44427 45077 2 | 1                  |



## 70/150 Watt High Pressure Sodium Safety and Security Area Light

- Corrosion resistant die-cast aluminum housing
- Nighttime ON/Daytime OFF
- Twist-lock replaceable photo control
- Mounting pattern on top of box allows you to predrill holes for quick and easy installation
- Perfect for lighting dark, secluded areas or any place where a medium-to large concentration of light is needed

\* Aluminum extension arm sold separately



70W or 150W medium base  
High Pressure Sodium bulb  
(included)



### Available Products

| Model #  | Description                                 | Unit Carton UPC | Master Carton Qty. |
|----------|---------------------------------------------|-----------------|--------------------|
| E-70-H   | 70W High Pressure Sodium*                   | 0 44427 00051 9 | 1                  |
| N150HNCI | 150W High Pressure Sodium with Mounting Arm | 0 44427 26014 2 | 1                  |



## 100 Watt Metal Halide Industrial Grade Area Light

- Heavy duty die-cast metal housing with high impact lens
- Easy installation with EZ-Mount™ bracket and Quick-connect™ wiring system
- Nighttime ON/Daytime OFF
- Twist-lock replaceable photo control
- Perfect for lighting large areas such as commercial buildings, storage areas, parking lots or any place where safety and security are important



100W medium base  
Metal Halide bulb (included)

### Available Products

| Model # | Description       | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------|-----------------|--------------------|
| GT100MH | 100W Metal Halide | 0 80083 50104 5 | 1                  |



## 70 Watt High Pressure Sodium Entry and Patio Light

- Heavy duty die-cast metal housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Easily mounts to standard lampholder mounting plate
- Perfect for lighting porches, decks or work areas



70W medium base  
High Pressure Sodium bulb  
(included)


### Available Products

| Model # | Description                      | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------|-----------------|--------------------|
| MD70HB  | 70W High Pressure Sodium - Black | 0 44427 00626 9 | 2                  |
| MD70HW  | 70W High Pressure Sodium - White | 0 44427 00627 6 | 2                  |



## 42 Watt Fluorescent Entry and Patio Light

- Heavy duty die-cast metal housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Easily mounts to standard lampholder mounting plate
- Perfect for lighting porches, decks, or work areas



42W medium base  
Fluorescent bulb  
(included)

### Available Products

| Model # | Description             | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------|-----------------|--------------------|
| MD42FLB | 42W Fluorescent - Black | 0 80083 50106 9 | 2                  |
| MD42FLW | 42W Fluorescent - White | 0 80083 50107 6 | 2                  |





## 70 Watt High Pressure Sodium Area Light

- Perfect for lighting any area where reducing light pollution is important
- Heavy duty die-cast metal housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Integral photo cell design prevents lights from turning on with motion during the daylight hours
- Easily mounts to standard lampholder mounting plate



70W medium base  
High Pressure Sodium bulb  
(included)



### Available Products

| Model # | Description                       | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------|-----------------|--------------------|
| DSL70HB | 70W High Pressure Sodium - Bronze | 0 44427 45095 6 | 2                  |



## 300 Watt Metal Twin Head Halogen Floodlight with Photo Control

- Heavy duty die-cast metal housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Perfect for wall or eave mount applications



(2) 150W PAR bulbs  
(sold separately)



### Available Products

| Model #  | Description       | Unit Carton UPC | Master Carton Qty. |
|----------|-------------------|-----------------|--------------------|
| MT250PC  | 300W PAR - Bronze | 0 44427 30049 7 | 6                  |
| MT250PCW | 300W PAR - White  | 0 44427 30050 3 | 6                  |



## 300 Watt Plastic Twin Head Floodlight With Photo Control

- Weatherproof and corrosion resistant construction
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Perfect for wall or eave mount applications



(2) 150W PAR bulbs  
(sold separately)




### Available Products

| Model #   | Description       | Unit Carton UPC | Master Carton Qty. |
|-----------|-------------------|-----------------|--------------------|
| PWT250PC  | 300W PAR - Bronze | 0 44427 45038 3 | 6                  |
| PWT250PCW | 300W PAR - White  | 0 44427 45039 0 | 6                  |



## 13 Watt Fluorescent Entry Light

- High impact, weather resistant housing and lens
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Electronic ballast design provides reliable starting in cold weather applications
- Perfect for patio or entrance lighting



13W Fluorescent bulb  
(included)




### Available Products

| Model # | Description              | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------|-----------------|--------------------|
| FE13PC  | 13W Fluorescent - Bronze | 0 44427 45052 9 | 2                  |
| FE13PCW | 13W Fluorescent - White  | 0 44427 45053 6 | 2                  |



## 23 Watt GU24 Fluorescent Patio Light

- Frosted high-impact protective lens
- Self-diagnostic LED (Title 24) indicator light
- Will accept 13W – 27W GU24 bulbs
- Fluorescent bulb lasts 5 times longer than standard incandescent bulbs
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Heavy duty die-cast aluminum housing



23 Watt Fluorescent bulb  
(included)



### Available Products

| Model #      | Description                         | Unit Carton UPC | Master Carton Qty. |
|--------------|-------------------------------------|-----------------|--------------------|
| PFL23PC-T24  | 23W Fluorescent Patio Light - Black | 0 80083 56526 9 | 2                  |
| PFL23PCW-T24 | 23W Fluorescent Patio Light - White | 0 80083 56527 6 | 2                  |



## 23 Watt GU24 Fluorescent Floodlight

- Frosted high-impact protective lens
- Self-diagnostic LED (Title 24) indicator light
- Will accept 13W – 23W GU24 bulbs
- Fluorescent bulb lasts 5 times longer than standard incandescent bulbs
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Perfect for wall or eave mount applications
- Heavy duty die-cast aluminum housing



23 Watt Fluorescent bulb  
(included)



### Available Products

| Model #      | Description                                 | Unit Carton UPC | Master Carton Qty. |
|--------------|---------------------------------------------|-----------------|--------------------|
| FFL23PC-T24  | 23 Wall GU24 Fluorescent Floodlight - Black | 0 80083 56528 3 | 2                  |
| FFL23PCW-T24 | 23 Wall GU24 Fluorescent Floodlight - White | 0 80083 56529 0 | 2                  |



## 18/26 Watt Fluorescent Floodlight

- High impact, weather resistant housing and lens
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Electronic ballast design provides reliable starting in cold weather applications
- Perfect for wall or eave mount application



18W/26W 4-Pin  
Fluorescent bulb  
(included)



### Available Products

| Model #  | Description              | Unit Carton UPC | Master Carton Qty. |
|----------|--------------------------|-----------------|--------------------|
| FNF18PC  | 18W Fluorescent - Bronze | 0 44427 45054 3 | 6                  |
| FNF18PCW | 18W Fluorescent - White  | 0 44427 45055 0 | 6                  |
| FNF26PC  | 26W Fluorescent - Bronze | 0 44427 45056 7 | 6                  |
| FNF26PCW | 26W Fluorescent - White  | 0 44427 45057 4 | 6                  |



## 26/42 Watt Fluorescent Wall Pack

- High impact, weather resistant housing and lens
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Electronic ballast design provides reliable starting in cold weather applications
- Perfect for patio or entrance lighting



26W Fluorescent bulb  
(included)

OR



42W Fluorescent bulb  
(included)



### Available Products

| Model # | Description              | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------|-----------------|--------------------|
| FW26PC  | 26W Fluorescent - Bronze | 0 44427 45060 4 | 6                  |
| FW26PCW | 26W Fluorescent - White  | 0 44427 45061 1 | 6                  |
| FW42PC  | 42W Fluorescent - Bronze | 0 44427 45058 1 | 6                  |
| FW42PCW | 42W Fluorescent - White  | 0 44427 45059 8 | 6                  |



## 35/70 Watt High Pressure Sodium Wall Pack

- Heavy duty die-cast metal housing
- One-piece polycarbonate front housing
- Integral photo control provides convenient Nighttime ON/Daytime OFF




35/70W medium base  
High Pressure Sodium bulb  
(included)



### Available Products

| Model #   | Description                                 | Unit Carton UPC | Master Carton Qty. |
|-----------|---------------------------------------------|-----------------|--------------------|
| W-35-H/PC | 35W High Pressure Sodium with photo control | 0 44427 00065 6 | 2                  |
| W-70-H/PC | 70W High Pressure Sodium with photo control | 0 44427 00067 0 | 2                  |



Three lens color options available

## 50 Watt Halogen Landscape Light with Colored Lens

- Heavy duty die-cast metal construction
- Red, green and blue accent lenses (included)
- 3 ft., 18-gauge, 3-wire grounded power cord
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Perfect for landscaping, accents and holiday decorations

  
50W GY8.6 Halogen bulb  
(included)

### Available Products

| Model # | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------|-----------------|--------------------|
| SP50LPC | 50W Halogen with Colored Lens | 0 44427 45093 2 | 6                  |



## 75 Watt Halogen Landscape Light with Photo Control

- Heavy duty die-cast metal construction
- 3 ft., 18-gauge, 3-wire grounded power cord
- Integral photo control provides convenient Nighttime ON/Daytime OFF
- Perfect for landscaping, accents and holiday decorations

  
75W GY8.6 Halogen bulb  
(included)

### Available Products

| Model # | Description                    | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------|-----------------|--------------------|
| SP100PC | 75W Halogen with Photo Control | 0 44427 30006 0 | 6                  |





# Worklights

## LED Worklights

Cooper Lighting's LED Worklights are great tools to have around your house, garage, workshop or automobile. We offer several multi functional worklights for handling almost any type of project or job.

**COOPER** Lighting



The Might-D-Light family of innovative LED worklights are truly the best tool for any job. Offering hands free use through the incorporated magnets, swivel hook, and bungee hooking mechanism. These fixtures fold for convenient, easy storage, while adjusting up to a 270° angle. The Might-D-Light fixtures are ideal for confined work areas or when portability is a must.





LED130



LED130C

### Rechargeable Folding LED Worklight

- 80 long-life LED lights
- Cordless rechargeable unit with AC & DC charging adapters included
- Durable polycarbonate lens
- Nylon swivel hook
- Easy grip cushioned handle
- Convenient ON/OFF switch
- Reflective strips for increased visibility during roadside applications
- Integrated rare earth magnets for securing to most metals
- 120 Volt (standard household supply)
- 2 Hour battery life



LED130 closed view



LED130 folded view

#### Available Products

| Model # | Description                                  | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------------------|-----------------|--------------------|
| LED130  | 80 LED Rechargeable Folding Worklight        | 0 80083 51204 1 | 2                  |
| LED130C | 80 LED Rechargeable Folding Worklight - Camo | 0 80083 57078 2 | 2                  |



LED125



LED125C

### Compact Folding LED Worklight with Bungee Hooks

- 2 Super bright LED lights
- 3-Way integrated switch: both panels ON/single panel ON/OFF
- Hinge adjusts up to 270°
- Durable polycarbonate lenses
- Integrated rare earth magnets for securing to most metals
- Extendable bungee hooks stow inside each panel for easy storage
- 3 Alkaline "AA" batteries (included)
- Up to 4.5 hours of battery life



LED125 closed view



LED125 folded view

#### Available Products

| Model # | Description                                            | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------------------|-----------------|--------------------|
| LED125  | Compact Folding LED Worklight with Bungee Hooks        | 0 80083 58581 6 | 6                  |
| LED125C | Compact Folding LED Worklight with Bungee Hooks - Camo | 0 80083 61020 4 | 6                  |





Rechargeable LED Worklight

- 35 Total long-life LED lights
- 9 LED lights on the end of light doubles as a spotlight/flashlight
- Cordless rechargeable unit with AC & DC charging adapters included
- Durable plastic construction with polycarbonate lens
- 360° Rotating swivel hook
- Cushioned grip with convenient instant-ON switch
- Magnetic clamp
- 120 Volts (standard household supply)
- Up to 12 hours of battery life (when used only as a flashlight)



AC & DC adapters included



Worklight doubles as a flashlight

Available Products

| Model # | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------|-----------------|--------------------|
| LED120  | 35 LED Rechargeable Worklight | 0 80083 50895 2 | 4                  |



Plug-In LED Worklight

- 60 Long-life LED lights
- 15 ft., 18-gauge power cord
- Durable plastic construction with polycarbonate lens
- 360° Rotating swivel hook
- Cushioned grip with instant-ON switch
- 120 Volts (standard household supply)



Available Products

| Model # | Description              | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------|-----------------|--------------------|
| LED110  | 60 LED Plug-in Worklight | 0 80083 50894 5 | 4                  |





## Rechargeable LED Sticklight

- 30 Ultra-bright LED lights
- Cordless rechargeable unit with AC charging adaptor included
- Durable plastic body with polycarbonate lens
- 3-Way rocker switch for high or low light output
- Octagonal body design allows you to direct light where most needed
- 360° Rotating swivel hook
- 120 Volts (standard household supply)
- Up to 3 hours of battery life



AC adaptors included

### Available Products

| Model # | Description                    | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------|-----------------|--------------------|
| LED105  | 30 LED Rechargeable Sticklight | 0 80083 53095 3 | 4                  |



## Plug-In LED Sticklight

- 30 Ultra-bright LED lights
- 15 ft. light weight power cord
- Durable plastic body with tapered polycarbonate lens
- Easy ON/OFF rocker switch
- Octagonal body design allows you to direct light where needed most
- 360° Rotating swivel hook
- 120 Volts (standard household supply)



### Available Products

| Model # | Description               | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------|-----------------|--------------------|
| LED100  | 30 LED Plug-in Sticklight | 0 80083 53096 0 | 4                  |

# Worklights

## Halogen Worklights

Strength and durability, safety and portability. That's what you get with the Cooper Lighting Halogen Worklight line. Our tough line of Worklights offer many innovative design features to meet any challenge while working in the field.

**COOPER** Lighting

### Powerful, Versatile Halogen Worklights

Designed with convenience and quick and easy set-up in mind, halogen worklights are field tested and cULus Listed to guarantee that you'll get the job done in any condition.



1. Quick Disconnect




2. Ratcheting Head





## 1200 Watt Halogen Standlight

- Tripod stand with non-skid feet, adjusts to over 5 foot of total height
- Quick disconnect feature for easy release from stand
- Ratcheting head for easy angle adjustments
- Thermal switch turns the light off if the unit becomes too hot
- Weatherproof HI/LO switch for adjustable light control
- Stand collapses within the sled for compact storage
- Heavy duty wire grill guard and tempered glass for added safety
- Foam grip handles and pads on sled for comfort and surface protection
- 6 ft., 18-gauge, 3-prong grounded power cord with wrap



(5) 300W Halogen bulbs (includes spare)



Ratcheting Head



Quick Disconnect




### Available Products

| Model #    | Description                   | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------|-----------------|--------------------|
| TQS1200QDR | 1200W Halogen Stand Worklight | 0 80083 53596 5 | 2                  |



## 1000 Watt Halogen Standlight

- Tripod stand with non-skid feet, adjusts to over 5 ft. of total height
- Quick disconnect feature for easy release from stand
- Weatherproof ON/OFF switch
- Stand collapses within sled for compact storage
- Heavy duty wire grill guard and tempered glass for added safety
- Foam grip handles and pads on sled for comfort and surface protection
- 6 ft., 18-gauge, 3-prong grounded power cord with wrap



(3) 500W Halogen bulbs (includes spare)



Quick Disconnect



### Available Products

| Model #   | Description                   | Unit Carton UPC | Master Carton Qty. |
|-----------|-------------------------------|-----------------|--------------------|
| TQS1000QD | 1000W Halogen Stand Worklight | 0 80083 53595 8 | 2                  |



## 500 Watt Halogen Standlight

- Tripod stand with non-skid feet, adjusts up to 4 ft. of total height
- Quick disconnect feature for easy release from stand
- Weatherproof ON/OFF switch
- Heavy duty wire grill guard and tempered glass for added safety
- Foam grip handles and pads on sled for comfort and surface protection
- 5 ft., 18-gauge, 3-prong grounded power cord



(2) 500W Halogen bulbs (includes spare)



Quick Disconnect




### Available Products

| Model #  | Description                  | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------|-----------------|--------------------|
| SQS505QD | 500W Halogen Stand Worklight | 0 80083 53594 1 | 2                  |



## 600 Watt Halogen Worklight

- Ratcheting head to easily adjust light angle
- Thermal switch turns unit off if fixture becomes too hot
- Weatherproof HI/LO switch for adjustable light control
- Light output (wattage): 300/600/OFF
- Heavy duty wire grill guard and tempered glass for added safety
- Comfortable foam grip handle
- Die-cast aluminum housing
- 3 ft., 18-gauge, 3-prong grounded power cord



(3) 300W Halogen bulbs  
(includes spare)



Ratcheting Head




### Available Products

| Model # | Description            | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------|-----------------|--------------------|
| PQS600R | 600W Halogen Worklight | 0 80083 52875 2 | 4                  |



## 500 Watt Halogen Worklight

- Weatherproof ON/OFF switch
- Heavy duty wire grill guard and tempered glass for added safety
- Comfortable foam grip handle
- Die-cast aluminum housing
- 3 ft., 18-gauge, 3-prong grounded power cord



(2) 500W Halogen bulbs  
(includes spare)




### Available Products

| Model # | Description                     | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------|-----------------|--------------------|
| PQS45   | 500W Halogen Portable Worklight | 0 80083 00260 5 | 4                  |



## 250 Halogen 4-IN-1 Worklight

- 4-in-1 includes hook, clamp, spike and base
- Weatherproof ON/OFF switch
- Heavy duty wire grill guard and tempered glass for added safety
- Die-cast aluminum housing
- 3 ft., 18-gauge, 3-prong grounded power cord



250W Halogen bulb  
(included)



Includes hook, clamp  
and spike



### Available Products


| Model #    | Description                   | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------|-----------------|--------------------|
| PQS2504IN1 | 250W Halogen 4-in-1 Worklight | 0 80083 52499 0 | 6                  |

# Recessed Lighting

## HALO® & ALL-PRO™

HALO® and ALL-PRO™ Recessed products deliver solutions to any downlighting application with a full line of aperture sizes. This product family offers numerous lamp types including LED, CFL, halogen, and incandescent with an array of complementing trim options in designer finishes.

**COOPER** Lighting



**Quick Connect™**  
Pre-installed wiring connectors

**Slide-N-Side™**

Pre-installed tool-less strain relief which eliminates purchase of additional connectors

**GOY NAIL!**  
Ready for installation  
Precisely aligned pre-installed nails

**Pass-N-Thru™**  
Hanger Bars

Pass-N-Thru hanger bars can be shortened for use in joist spans of less than 12 in.

**airseal™**

Pre-installed gasket prevents airflow between attic and living areas






# HALO® LED

## LED Retrofit Baffle Trim

*Rated for Wet Location*  
*Dimmable*

**RETROFIT, REMODEL**  
*or NEW CONSTRUCTION*

**LASTS 22 years**

**65 WATT**  
Lumen equivalent

**\$400 UP TO SAVINGS**

*Fits 4" Housings*



**RL406830WH**



*Fits 5" & 6" Housings*



**RL560WHR**





4" AIR-TITE™ IC Rated New Construction and Remodel Housings

- For use with HALO® LED RL406 Series
- AIR-TITE™ meets restricted airflow requirements per ASTM E-283 test standard
- For direct contact with air-permeable insulation in insulated ceilings (may also be used in non-insulated ceilings)
- Remodel housing installs from below the ceiling in 1/2 in. or 5/8 in. ceiling material
- Can be used for State of California Title 24 high efficacy compliance



Available Products

| Model #   | Description                                               | Unit Carton UPC | Master Carton Qty. |
|-----------|-----------------------------------------------------------|-----------------|--------------------|
| H995ICAT  | 4" AIR-TITE™ LED IC New Construction, T24 ideal connector | 0 80083 61693 0 | 6                  |
| H995RICAT | 4" AIR-TITE™ LED IC Remodel Housing, T24 ideal connector  | 0 80083 61694 7 | 6                  |

RL406830WH



RL406830SN



## 4" AIR-TITE™ LED Retrofit – Integrated Light Engine with Baffle Trim

- Over 600 Lumens, 3000°K warm white light
- 50,000 hours with 70% maintained lumens
- Compatible with 4" standard recessed housings: HALO®, ALL-PRO™ and more
- Dimmable to 5% with select dimmers
- Flexible mounting with friction blades
- Wet and damp location listed (shower light)
- Rated for use in IC (insulated ceiling) housing
- High brightness, diffusing, optical quality lens




### Available Products

| Model #    | Description                                                         | Unit Carton UPC | Master Carton Qty. |
|------------|---------------------------------------------------------------------|-----------------|--------------------|
| RL406830WH | 4" LED Retrofit – Integrated Light Engine, White Baffle Trim        | 0 80083 61691 6 | 2                  |
| RL406830SN | 4" LED Retrofit – Integrated Light Engine, Satin Nickel Baffle Trim | 0 80083 61692 3 | 2                  |



New Construction



Remodel

## 6" AIR-TITE™ IC Rated New Construction and Remodel Housings

- For use with HALO® LED RL56 and ML56 Series
- AIR-TITE™ meets restricted airflow requirements per ASTM E-283 test standard
- For direct contact with air-permeable insulation in insulated ceilings (may also be used in non-insulated ceilings)
- Remodel housing installs from below the ceiling in 1/2 in. or 5/8 in. ceiling material
- Can be used for State of California Title 24 high efficacy compliance



### Available Products

| Model #   | Description                                                  | Unit Carton UPC | Master Carton Qty. |
|-----------|--------------------------------------------------------------|-----------------|--------------------|
| H750ICAT  | 5"/6" AIR-TITE™ LED IC New Construction, T24 Ideal Connector | 6 23961 87265 5 | 6                  |
| H750RICAT | 5"/6" AIR-TITE™ LED IC Remodel Housing, T24 Ideal Connector  | 6 23961 05224 8 | 6                  |



RL560WH-R



RL560SN-R

## 5 1/2" AIR-TITE™ LED Retrofit – Integrated Light Engine with Baffle Trim

- 600 Lumens, 3000°K warm white light
- 50,000 hours with 70% maintained lumens
- Compatible with 5" & 6" standard and shallow recessed housings: HALO®, ALL-PRO™ and more
- Fits standard and shallow recessed housings
- Dimmable to 5% with select dimmers
- Flexible mounting with torsion springs
- Wet and damp location listed and IC (insulated Ceiling) rated
- High brightness, diffusing, impact resistant lens



### Available Products

| Model #      | Description                                                             | Unit Carton UPC | Master Carton Qty. |
|--------------|-------------------------------------------------------------------------|-----------------|--------------------|
| RL560WH-R    | 5 1/2" LED Retrofit – Integrated Light Engine, White Baffle Trim        | 0 80083 62902 2 | 2                  |
| RL560SN-R    | 5 1/2" LED Retrofit – Integrated Light Engine, Satin Nickel Baffle Trim | 0 80083 62934 3 | 2                  |
| RL560WH-18PK | 5 1/2" Halo® LED 18 Piece Display                                       | 0 80083 62454 6 | 18                 |

## 4" HOUSING & TRIM COMPATIBILITY

Use only with lamps specified on housing label, spec sheets,  
or [www.HaloItg.com](http://www.HaloItg.com)

|                                                                                    |         |                                                 | NEW CONSTRUCTION<br>(Above Ceiling Access) |         | REMODEL<br>(Below Ceiling Access) |
|------------------------------------------------------------------------------------|---------|-------------------------------------------------|--------------------------------------------|---------|-----------------------------------|
| Trim Series                                                                        | Model # | Description                                     | H99TAT                                     | H99ICAT | H99RATT                           |
| <b>993 Series – 4" Coilex® Baffle</b>                                              |         |                                                 |                                            |         |                                   |
|   | 993W    | White Trim with White Baffle                    | •                                          | •       | •                                 |
|                                                                                    | 993P    | White Trim with Black Baffle                    | •                                          | •       | •                                 |
|                                                                                    | 993SN   | Satin Nickel Trim with Black Baffle             | •                                          | •       | •                                 |
|                                                                                    | 993PB   | Polished Brass Trim with Black Baffle           | •                                          | •       | •                                 |
|                                                                                    | 993TBZ  | Tuscan Bronze Trim with Black Baffle            | •                                          | •       | •                                 |
| <b>951 Series – 4" Shower Light</b>                                                |         |                                                 |                                            |         |                                   |
|   | 951PS   | White Trim, Wet Location                        | •                                          | •       | •                                 |
|                                                                                    | 951SNS  | Satin Nickel Trim, Wet Location                 | •                                          | •       | •                                 |
|                                                                                    | 951TBZS | Tuscan Bronze Trim, Wet Location                | •                                          | •       | •                                 |
| <b>998 Series – 4" Adjustable Eyeball - 30° Tilt</b>                               |         |                                                 |                                            |         |                                   |
|    | 998PB   | Polished Brass Trim with Polished Brass Eyeball | •                                          | •       | •                                 |
|                                                                                    | 998P    | White Trim with White Eyeball                   | •                                          | •       | •                                 |
|                                                                                    | 998SN   | Satin Nickel Trim with Satin Nickel Eyeball     | •                                          | •       | •                                 |
|                                                                                    | 998TBZ  | Tuscan Bronze Trim with Tuscan Bronze Eyeball   | •                                          | •       | •                                 |
| <b>953 Series – 4" Metal Baffle</b>                                                |         |                                                 |                                            |         |                                   |
|   | 953W    | White Trim with White Baffle                    | •                                          | •       | •                                 |
|                                                                                    | 953P    | White Trim with Black Baffle                    | •                                          | •       | •                                 |
|                                                                                    | 953SN   | Satin Nickel Trim with Satin Nickel Baffle      | •                                          | •       | •                                 |
|                                                                                    | 953TBZ  | Tuscan Bronze Trim with Tuscan Bronze Baffle    | •                                          | •       | •                                 |
| <b>999 Series – 4" Reflector</b>                                                   |         |                                                 |                                            |         |                                   |
|  | 999MB   | White Trim with Specular Black Reflector        | •                                          | •       | •                                 |
|                                                                                    | 999RG   | White Trim with Residential Gold Reflector      | •                                          | •       | •                                 |
|                                                                                    | 999P    | White Trim with Specular Clear Reflector        | •                                          | •       | •                                 |
|                                                                                    | 999W    | White Trim with White Reflector                 | •                                          | •       | •                                 |
|                                                                                    | 999H    | White Trim with Haze Reflector                  | •                                          | •       | •                                 |
|                                                                                    | 999SN   | Satin Nickel Trim with Satin Nickel Reflector   | •                                          | •       | •                                 |
|                                                                                    | 999TBZ  | Tuscan Bronze Trim with Tuscan Bronze Reflector | •                                          | •       | •                                 |

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK.



New Construction



Remodel


## 4" AIR-TITE™ Incandescent New Construction and Remodel Housings

- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- For use in shallow ceilings
- Thermally protected housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing

### Available Products

| Model # | Description                       | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------|-----------------|--------------------|
| H99TAT  | AIR-TITE™ Non-IC New Construction | 0 80083 58426 0 | 6                  |
| H99RTAT | AIR-TITE™ Non-IC Remodel Housing  | 0 80083 58436 9 | 6                  |





New Construction

## 4" AIR-TITE™ IC Rated Incandescent New Construction Housing

- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- For use in shallow ceilings
- Thermally protected housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing

### Available Products

| Model # | Description                         | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------|-----------------|--------------------|
| H99ICAT | AIR-TITE™ IC Rated New Construction | 0 80083 58225 9 | 6                  |



993W

993P



993SN

993PB



993TBZ

## 993 Series – 4" Coilex® Baffle Trims

- Die-cast trim ring with metal reflector
- For general lighting

### Available Products

| Model # | Description                           | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------------|-----------------|--------------------|
| 993W    | White Trim with White Baffle          | 6 62400 16428 9 | 12                 |
| 993P    | White Trim with Black Baffle          | 6 62400 32106 4 | 12                 |
| 993SN   | Satin Nickel Trim with Black Baffle   | 6 23960 25048 5 | 12                 |
| 993PB   | Polished Brass Trim with Black Baffle | 6 62400 32066 1 | 12                 |
| 993TBZ  | Tuscan Bronze Trim with Black Baffle  | 6 23961 31141 3 | 12                 |



951PS

951SNS



951TBZ

## 951 Series – 4" Shower Light Trims

- Wet location Listed for use as shower light
- Non-conductive, non-corrosive polymer trim
- Prismatic glass lens
- Full reflector for even light distribution

### Available Products

| Model # | Description                      | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------|-----------------|--------------------|
| 951PS   | White Trim, Wet Location         | 6 22697 28311 7 | 6                  |
| 951SNS  | Satin Nickel Trim, Wet Location  | 6 23960 38755 6 | 6                  |
| 951TBZS | Tuscan Bronze Trim, Wet Location | 6 23961 31157 4 | 6                  |





998PB



998P



998SN



998TBZ

## 998 Series – 4" Adjustable Eyeball Trim with 30° Tilt

- Adjustable eyeball
- For PAR16 and R16 lamps
- 30° tilt, 360° rotation

### Available Products

| Model # | Description                                     | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------------|-----------------|--------------------|
| 998PB   | Polished Brass Trim with Polished Brass Eyeball | 6 62400 32074 6 | 12                 |
| 998P    | White Trim with White Eyeball                   | 6 62400 13209 7 | 12                 |
| 998SN   | Satin Nickel Trim with Satin Nickel Eyeball     | 6 23960 25049 2 | 12                 |
| 998TBZ  | Tuscan Bronze Trim with Tuscan Bronze Eyeball   | 6 23961 31143 7 | 12                 |



953W



953P



953SN



953TBZ

## 953 Series – 4" Metal Baffle Trims

- Die-cast trim ring with metal baffle
- For general lighting

### Available Products

| Model # | Description                                  | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------------------|-----------------|--------------------|
| 953W    | White Trim with White Baffle                 | 0 80083 51602 5 | 12                 |
| 953P    | White Trim with Black Baffle                 | 0 80083 51600 1 | 12                 |
| 953SN   | Satin Nickel Trim with Satin Nickel Baffle   | 6 23960 38753 2 | 12                 |
| 953TBZ  | Tuscan Bronze Trim with Tuscan Bronze Baffle | 6 23961 31149 9 | 12                 |



999MB



999RG



999P



999W



999H



999SN



999TBZ

## 999 Series – 4" Metal Reflector

- Die-cast trim ring with metal reflector
- For general lighting

### Available Products


| Model # | Description                                     | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------------|-----------------|--------------------|
| 999MB   | White Trim with Specular Black Reflector        | 6 62400 00655 8 | 12                 |
| 999RG   | White Trim with Residential Gold Reflector      | 6 62400 32054 8 | 12                 |
| 999P    | White Trim with Specular Clear Reflector        | 6 62400 32058 6 | 12                 |
| 999W    | White Trim with White Reflector                 | 6 23961 39428 7 | 12                 |
| 999H    | White Trim with Haze Reflector                  | 6 22696 60622 1 | 12                 |
| 999SN   | Satin Nickel Trim with Satin Nickel Reflector   | 6 23960 25050 8 | 12                 |
| 999TBZ  | Tuscan Bronze Trim with Tuscan Bronze Reflector | 6 23961 31145 1 | 12                 |

## 5" HOUSING & TRIM COMPATIBILITY

Use only with lamps specified on housing label, spec sheets,  
or [www.HaloItg.com](http://www.HaloItg.com)

|                                                                                     |          |                                                 | NEW CONSTRUCTION<br>(Above Ceiling Access) |     | REMODEL<br>(Below Ceiling Access) |      |
|-------------------------------------------------------------------------------------|----------|-------------------------------------------------|--------------------------------------------|-----|-----------------------------------|------|
| Trim Series                                                                         | Model #  | Description                                     | H5ICAT                                     | H5T | H5RICAT                           | H5RT |
| <b>5000 Series – 5" Metal Splay</b>                                                 |          |                                                 |                                            |     |                                   |      |
|    | 5000P    | White Trim with White Splay                     | •                                          | •   | •                                 | •    |
|                                                                                     | 5000SN   | Satin Nickel Trim with Satin Nickel Splay       | •                                          | •   | •                                 | •    |
|                                                                                     | 5000TBZ  | Tuscan Bronze Trim with Tuscan Bronze Splay     | •                                          | •   | •                                 | •    |
| <b>5001 Series – 5" Metal Baffle Splay</b>                                          |          |                                                 |                                            |     |                                   |      |
|    | 5001P    | White Trim with White Baffle                    | •                                          | •   | •                                 | •    |
|                                                                                     | 5001MB   | White Trim with Black Baffle                    | •                                          | •   | •                                 | •    |
|                                                                                     | 5001SN   | Satin Nickel Trim with Satin Nickel Baffle      | •                                          | •   | •                                 | •    |
|                                                                                     | 5001TBZ  | Tuscan Bronze Trim with Tuscan Bronze Baffle    | •                                          | •   | •                                 | •    |
| <b>5010 Series – 5" Metal Step Baffle</b>                                           |          |                                                 |                                            |     |                                   |      |
|    | 5010W    | White Trim with White Baffle                    | •                                          | •   | •                                 | •    |
|                                                                                     | 5010     | White Trim with Black Baffle                    | •                                          | •   | •                                 | •    |
| <b>5020 Series – 5" Trims with Reflector Cones</b>                                  |          |                                                 |                                            |     |                                   |      |
|    | 5020P    | White Trim with White Reflector                 | •                                          | •   | •                                 | •    |
|                                                                                     | 5020H    | White Trim with Haze Reflector                  | •                                          | •   | •                                 | •    |
|                                                                                     | 5020SC   | White Trim with Clear Specular Reflector        | •                                          | •   | •                                 | •    |
|                                                                                     | 5020BL   | White Trim with Black Specular Reflector        | •                                          | •   | •                                 | •    |
|                                                                                     | 5020RG   | White Trim with Residential Gold Reflector      | •                                          | •   | •                                 | •    |
|                                                                                     | 5020SN   | Satin Nickel Trim with Satin Nickel Reflector   | •                                          | •   | •                                 | •    |
|                                                                                     | 5020TBZ  | Tuscan Bronze Trim with Tuscan Bronze Reflector | •                                          | •   | •                                 | •    |
| <b>5070 Series – 5" Adjustable Eyeball Trims - 30° Tilt</b>                         |          |                                                 |                                            |     |                                   |      |
|  | 5070P    | White Trim with White Eyeball                   | •                                          | •   | •                                 | •    |
|                                                                                     | 5070SN   | Satin Nickel Trim with Satin Nickel Eyeball     | •                                          | •   | •                                 | •    |
|                                                                                     | 5070TBZ  | Tuscan Bronze Trim with Tuscan Bronze Eyeball   | •                                          | •   | •                                 | •    |
|                                                                                     | 5070PB   | Polished Brass Trim with Polished Brass Eyeball | •                                          | •   | •                                 | •    |
| <b>5054 Series – 5" Dome Lens Shower Light</b>                                      |          |                                                 |                                            |     |                                   |      |
|  | 5054PS   | White Trim with Frosted Diffuser                | •                                          | •   | •                                 | •    |
|                                                                                     | 5054SNS  | Satin Nickel Trim with Frosted Diffuser         | •                                          | •   | •                                 | •    |
|                                                                                     | 5054TBZS | Tuscan Bronze Trim with Frosted Diffuser        | •                                          | •   | •                                 | •    |

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK.




### 5" AIR-TITE™ IC Rated New Construction and Remodel Housings

- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing
- Accommodates smaller sized PAR20 and PAR30 halogen lamps

#### Available Products

| Model # | Description                           | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------------|-----------------|--------------------|
| H5ICAT  | AIR-TITE™ IC New Construction Housing | 6 62400 60267 5 | 6                  |
| H5RICAT | AIR-TITE™ IC Remodel Housing          | 6 62400 61055 7 | 6                  |





New Construction



Remodel

## 5" Non-IC Rated New Construction and Remodel Housings

- Insulation must be kept 3 in. from all sides of the housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing
- Accommodates smaller sized PAR20 and PAR30 halogen lamps



### Available Products

| Model # | Description                     | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------|-----------------|--------------------|
| H5T     | Non-IC New Construction Housing | 6 62400 60265 1 | 6                  |
| H5RT    | Non-IC Remodel Housing          | 6 62400 60267 5 | 6                  |



5000P



5000SN



5000TBZ

## 5000 Series – 5" Metal Splay Trims

- Straight precision-sided trim ring
- Open metal splay trim
- Dual socket position socket for BR and PAR lamps

### Available Products

| Model # | Description                                 | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------------------|-----------------|--------------------|
| 5000P   | White Trim with White Splay                 | 6 62400 60271 2 | 6                  |
| 5000SN  | Satin Nickel Trim with Satin Nickel Splay   | 6 23961 11288 1 | 6                  |
| 5000TBZ | Tuscan Bronze Trim with Tuscan Bronze Splay | 6 23961 31180 2 | 6                  |



5020P



5020H



5020SC



5020BL



5020RG



5020SN



5020TBZ

## 5020 Series – 5" Trims with Reflector Cones

- Straight precision sided trim ring
- Torsion springs pull trim tight to ceiling
- Dual socket position for BR and PAR Lamps

### Available Products

| Model # | Description                                     | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------------|-----------------|--------------------|
| 5020P   | White Trim with White Reflector                 | 6 62400 60278 1 | 6                  |
| 5020H   | White Trim with Haze Reflector                  | 6 22697 05339 0 | 6                  |
| 5020SC  | White Trim with Clear Specular Reflector        | 6 62400 60276 7 | 6                  |
| 5020BL  | White Trim with Black Specular Reflector        | 6 62400 60277 4 | 6                  |
| 5020RG  | White Trim with Residential Gold Reflector      | 6 62400 60279 8 | 6                  |
| 5020SN  | Satin Nickel Trim with Satin Nickel Reflector   | 6 23961 11284 3 | 6                  |
| 5020TBZ | Tuscan Bronze Trim with Tuscan Bronze Reflector | 6 23961 31177 2 | 6                  |



5001P



5001MB



5001SN



5001TBZ

## 5001 Series – 5" Metal Baffle Splay Trims

- Straight precision-sided trim ring
- Torsion springs pull trim tight to ceiling
- Dual socket position for use with BR and PAR Lamps

### Available Products

| Model # | Description                                  | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------------------|-----------------|--------------------|
| 5001P   | White Trim with White Baffle                 | 6 62400 60272 9 | 6                  |
| 5001MB  | White Trim with Black Baffle                 | 6 62400 60273 6 | 6                  |
| 5001SN  | Satin Nickel Trim with Satin Nickel Baffle   | 6 23961 11289 8 | 6                  |
| 5001TBZ | Tuscan Bronze Trim with Tuscan Bronze Baffle | 6 23961 31182 6 | 6                  |



5010W



5010

## 5010 Series – 5" Metal Step Baffle Trims

- Straight precision-sided trim ring
- Torsion springs pull trim tight to ceiling
- Dual socket position for BR and PAR Lamps

### Available Products

| Model # | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------|-----------------|--------------------|
| 5010W   | White Trim with White Baffle | 6 62400 60275 0 | 6                  |
| 5010    | White Trim with Black Baffle | 6 62400 60274 3 | 6                  |



5070P



5070SN



5070TBZ



5070PB

## 5070 Series – 5" Adjustable Eyeball Trims - 30° Tilt with 360° Rotation

- Straight precision-sided trim ring
- For directional accent lighting
- Torsion springs pull trim tight to ceiling

### Available Products

| Model # | Description                                     | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------------|-----------------|--------------------|
| 5070P   | White Trim with White Eyeball                   | 6 62400 60268 2 | 6                  |
| 5070SN  | Satin Nickel Trim with Satin Nickel Eyeball     | 6 23961 11378 9 | 6                  |
| 5070TBZ | Tuscan Bronze Trim with Tuscan Bronze Eyeball   | 6 23961 31186 4 | 6                  |
| 5070PB  | Polished Brass Trim with Polished Brass Eyeball | 6 62400 60269 9 | 6                  |



5054PS



5054SNS



5054TBZS

## 5054 Series – 5" Dome Lens Shower Light Trims

- Frosted glass dome lens
- Wet location listed for use as shower light
- Non-conductive, non-corrosive polymer trim

### Available Products

| Model #  | Description                              | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------------|-----------------|--------------------|
| 5054PS   | White Trim with Frosted Diffuser         | 6 23961 53164 4 | 6                  |
| 5054SNS  | Satin Nickel Trim with Frosted Diffuser  | 6 23961 83625 1 | 6                  |
| 5054TBZS | Tuscan Bronze Trim with Frosted Diffuser | 6 23961 82736 5 | 6                  |



## 6" HOUSING & TRIM COMPATIBILITY

Use only with lamps specified on housing label, spec sheets,  
or [www.HaloItg.com](http://www.HaloItg.com)

|                                                                                    |         |                                           | NEW CONSTRUCTION<br>(Above Ceiling Access) |                            |                            |                                  | REMODEL<br>(Below Ceiling Access) |                               |                                     |
|------------------------------------------------------------------------------------|---------|-------------------------------------------|--------------------------------------------|----------------------------|----------------------------|----------------------------------|-----------------------------------|-------------------------------|-------------------------------------|
|                                                                                    |         |                                           | Standard<br>(7" Depth)                     | Shallow<br>(5" Depth)      | Slope<br>(6/12 Slope)      | CFL<br>(7" Depth)                | Standard<br>(7" Depth)            | Shallow<br>(5" Depth)         | CFL<br>(7" Depth)                   |
| Trim Series                                                                        | Model # | Description                               | H71CT<br>H71CAT<br>H71T                    | H271CT<br>H271CAT<br>H271T | H471CT<br>H471CAT<br>H471T | H2701CAT<br>H2711CAT<br>H2721CAT | H771CT<br>H771CAT<br>H771T        | H2771CT<br>H2771CAT<br>H2771T | H27071CAT<br>H27171CAT<br>H27271CAT |
| <b>310/410 Series - Baffle (Coil Spring Retention)</b>                             |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|    | 310W    | White Trim/Baffle                         | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 310P    | White Trim, Black Baffle                  | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 310SN   | Satin Nickel, Black Baffle                | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 310TBZ  | Tuscan Bronze, Black Baffle               | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 410W    | White Trim/Baffle, wider aperture         | •                                          |                            |                            |                                  | •                                 |                               |                                     |
|                                                                                    | 410P    | White Trim, Black Baffle, wider aperture  | •                                          |                            |                            |                                  | •                                 |                               |                                     |
| <b>30 Series - Air-Tite Baffle (Socket Supported)</b>                              |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|    | 30WATH  | White Trim/Baffle, Clear Reflector        | • • •                                      |                            |                            |                                  | • • •                             |                               |                                     |
|                                                                                    | 30PAT   | White Trim, Black Baffle, Clear Reflector | • • •                                      |                            |                            |                                  | • • •                             |                               |                                     |
|                                                                                    | 30SNAT  | Satin Nickel Trim/Baffle/Reflector        | • • •                                      |                            |                            |                                  | • • •                             |                               |                                     |
|                                                                                    | 30TBZAT | Tuscan Bronze Trim/Baffle/Reflector       | • • •                                      |                            |                            |                                  | • • •                             |                               |                                     |
|                                                                                    | 30SBAT  | Black Trim/Baffle/Reflector               | • • •                                      |                            |                            |                                  | • • •                             |                               |                                     |
| <b>353 Series - Metal Baffle (Coil Spring Retention)</b>                           |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|    | 353SN   | Satin Nickel Trim/Baffle                  | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 353TBZ  | Tuscan Bronze Trim/Baffle                 | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
| <b>78 Series - Eyeball 30° Tilt</b>                                                |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|   | 78P     | White Trim/Eyeball                        | • • •                                      | • • •                      | • • •                      |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 78PAT   | AIR-TITE™ White Trim/Eyeball*             | • • •                                      | • • •                      | • • •                      |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 78SN    | Satin Nickel Trim/Eyeball                 | • • •                                      | • • •                      | • • •                      |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 78TBZ   | Tuscan Bronze Trim/Eyeball                | • • •                                      | • • •                      | • • •                      |                                  | • • •                             | • • •                         |                                     |
| <b>70 Series - Albalite Lens Shower Light Lens (Wet Location)</b>                  |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|  | 70P     | White Trim                                | •                                          | •                          |                            | • •                              | •                                 |                               | • •                                 |
|                                                                                    | 70PS    | AIR-TITE™ White Trim*                     | •                                          | •                          |                            | • •                              | •                                 |                               | • •                                 |
|                                                                                    | 170P    | White Trim with Reflector                 | • •                                        | • •                        |                            |                                  | • •                               | • • •                         |                                     |
|                                                                                    | 170PS   | AIR-TITE™ White Trim with Reflector*      | • •                                        | • •                        | • • •                      |                                  | • •                               | • • •                         |                                     |
|                                                                                    | 270PS   | CFL White Trim                            |                                            |                            |                            | • • •                            |                                   |                               | • • •                               |
| <b>72 Series - Dome Shower Light Lens (Wet Location)</b>                           |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|  | 172PS   | AIR-TITE™ White*                          | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 172SNS  | AIR-TITE™ Satin Nickel*                   | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 172TBZS | AIR-TITE™ Tuscan Bronze*                  | • • •                                      | • • •                      |                            |                                  | • • •                             | • • •                         |                                     |
|                                                                                    | 272PS   | CFL White                                 |                                            |                            |                            | • • •                            |                                   |                               | • • •                               |
| <b>300 Series - Open Trim</b>                                                      |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|  | 300P    | White with Socket Support                 | • • •                                      | • •                        |                            |                                  | • • •                             | • •                           |                                     |
|                                                                                    | 300SN   | Satin Nickel with Socket Support          | • • •                                      | • •                        |                            |                                  | • • •                             | • •                           |                                     |
|                                                                                    | 300TBZ  | Tuscan Bronze with Socket Support         | • • •                                      | • •                        |                            |                                  | • • •                             | • •                           |                                     |
|                                                                                    | 300AC   | Antique Copper with Socket Support        | • • •                                      | • •                        |                            |                                  | • • •                             | • •                           |                                     |
|                                                                                    | 301P    | White                                     | •                                          | •                          |                            |                                  | •                                 | •                             |                                     |
|                                                                                    | 301SN   | Satin Nickel                              | •                                          | •                          |                            |                                  | •                                 | •                             |                                     |
|                                                                                    | 301TBZ  | Tuscan Bronze                             | •                                          | •                          |                            |                                  | •                                 | •                             |                                     |
| <b>406 Series - CFL Baffle</b>                                                     |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|  | 406WWB  | White Baffle/Reflector                    |                                            |                            |                            | • • •                            |                                   |                               | • • •                               |
|                                                                                    | 406WB   | White Baffle, Clear Specular Reflector    |                                            |                            |                            | • • •                            |                                   |                               | • • •                               |
|                                                                                    | 406BA   | Black Baffle, Clear Specular Reflector    |                                            |                            |                            | • • •                            |                                   |                               | • • •                               |
| <b>498 Series - Sloped Ceiling Baffle</b>                                          |         |                                           |                                            |                            |                            |                                  |                                   |                               |                                     |
|  | 498W    | White Trim/Baffle                         |                                            |                            | • • •                      |                                  |                                   |                               |                                     |
|                                                                                    | 498P    | White Trim, Black Baffle                  |                                            |                            | • • •                      |                                  |                                   |                               |                                     |

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATTRIM. Order separately in a 6 pack: GA-ATTRIM-6PK.



New Construction



Remodel

## 6" AIR-TITE™ IC Rated New Construction and Remodel Housings

- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model # | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------|-----------------|--------------------|
| H7ICAT  | AIR-TITE™ IC New Construction | 6 62400 16447 0 | 6                  |
| H7RICAT | AIR-TITE™ IC Remodel Housing  | 6 62400 61058 8 | 6                  |



New Construction



Remodel

## 6" IC Rated New Construction and Remodel Housings

- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model # | Description         | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------|-----------------|--------------------|
| H7ICT   | IC New Construction | 6 62400 13293 6 | 6                  |
| H7RICT  | IC Remodel Housing  | 6 62400 60071 8 | 6                  |



New Construction



Remodel

## 6" Non-IC Rated New Construction and Remodel Housings

- Insulation must be kept 3 in. from all sides of the housing
- Thermally protected housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model # | Description             | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------|-----------------|--------------------|
| H7T     | Non-IC New Construction | 6 62400 13302 5 | 6                  |
| H7RT    | Non-IC Remodel Housing  | 6 62400 60072 5 | 6                  |



New Construction



Remodel


## 6" AIR-TITE™ IC Rated Shallow New Construction and Remodel Housings

- For use in shallow ceilings with 2 in. x 6 in. joist construction
- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model #  | Description                           | Unit Carton UPC | Master Carton Qty. |
|----------|---------------------------------------|-----------------|--------------------|
| H27ICAT  | Shallow AIR-TITE™ IC New Construction | 6 62400 60589 8 | 6                  |
| H27RICAT | Shallow AIR-TITE™ IC Remodel Housing  | 6 23961 86676 0 | 6                  |



New Construction



Remodel


## 6" IC Rated Shallow New Construction and Remodel Housings

- For use in shallow ceilings with 2 in. x 6 in. joist construction
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model # | Description                 | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------|-----------------|--------------------|
| H27ICT  | Shallow IC New Construction | 6 62400 69457 1 | 6                  |
| H27RICT | Shallow IC Remodel          | 6 62400 65475 9 | 6                  |



New Construction



Remodel

## 6" Non-IC Rated Shallow New Construction and Remodel Housings

- For use in shallow ceilings with 2 in. x 6 in. joist construction
- Insulation must be kept 3 in. from all sides of the housing
- Thermally protected housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing



### Available Products

| Model # | Description             | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------|-----------------|--------------------|
| H27T    | Non-IC New Construction | 6 62400 13314 8 | 6                  |
| H27RT   | Non-IC Remodel          | 6 62400 60073 2 | 6                  |



New Construction

## 6" AIR-TITE™ IC Rated Slope Ceiling New Construction Housing

- For 2/12 to 6/12 slope ceilings
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars



### Available Products

| Model # | Description                         | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------|-----------------|--------------------|
| H47ICAT | Slope AIR-TITE™ IC New Construction | 6 62400 30207 0 | 4                  |



H47ICT

## 6" Slope Ceiling New Construction Housing

- For 2/12 to 6/12 slope ceilings
- Thermally protected housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars



### Available Products

| Model # | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------|-----------------|--------------------|
| H47ICT  | Slope IC New Construction     | 6 62400 13331 5 | 4                  |
| H47T    | Slope Non-IC New Construction | 6 62400 13332 2 | 4                  |



H47



New Construction



Remodel

## 6" AIR-TITE™ IC Rated Compact Fluorescent New Construction and Remodel Housings

- AIR-TITE™ housing prevents airflow between attic and living areas
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing

### Available Products

air-tite



| Model #   | Description                           | Unit Carton UPC | Master Carton Qty. |
|-----------|---------------------------------------|-----------------|--------------------|
| H270ICAT  | 13 Watt AIR-TITE™ IC New Construction | 6 22697 90067 0 | 4                  |
| H270RICAT | 13 Watt AIR-TITE™ IC Remodel          | 6 23961 59750 3 | 6                  |
| H271ICAT  | 18 Watt AIR-TITE™ IC New Construction | 6 22697 90069 4 | 4                  |
| H271RICAT | 18 Watt AIR-TITE™ IC Remodel          | 6 23961 59751 0 | 6                  |
| H272ICAT  | 26 Watt AIR-TITE™ IC New Construction | 6 22697 90070 0 | 4                  |
| H272RICAT | 26 Watt AIR-TITE™ IC Remodel          | 6 23961 59752 7 | 6                  |



310W



310P



310SN



310TBZ

## 310 Series – 6" Coilex™ Baffle Trims

- Black or white phenolic baffle with separate trim ring
- Coil spring retention
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring

### Available Products

| Model # | Description                          | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------|-----------------|--------------------|
| 310W    | White Trim with White Baffle         | 0 80083 51588 2 | 6                  |
| 310P    | White Trim with Black Baffle         | 0 80083 51590 5 | 6                  |
| 310SN   | Satin Nickle Trim with Black Baffle  | 0 80083 51592 9 | 6                  |
| 310TBZ  | Tuscan Bronze Trim with Black Baffle | 0 80083 51604 9 | 6                  |



410W



410P

## 410 Series – 6" Coilex™ Baffle Trims

- For PAR38 and R40 lamps
- For use with H7T and H7RT housings

### Available Products

| Model # | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------|-----------------|--------------------|
| 410W    | White Trim with White Baffle | 0 80083 51585 1 | 6                  |
| 410P    | White Trim with Black Baffle | 0 80083 51586 8 | 6                  |



30WATH



30PAT



30SNAT



30TBZAT



30SBAT

## 30 Series – 6" Super Trim AIR-TITE™ Baffle

- Metal baffle
- Self-flanged socket supporting trim with torsion spring construction
- Accepts a wide range of lamps
- Makes installation AIR-TITE™ regardless of housing used

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gaskets required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK.

### Available Products



| Model # | Description                               | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------|-----------------|--------------------|
| 30WATH  | White Trim, White Baffle                  | 6 62400 60832 5 | 18                 |
| 30PAT   | White Trim, Black Baffle, Clear Reflector | 6 62400 60331 3 | 18                 |
| 30TBZAT | Tuscan Bronze Trim, Baffle and Reflector  | 6 23961 31205 2 | 18                 |
| 30SNAT  | Satin Nickel Trim, Baffle and Reflector   | 6 23961 11428 1 | 18                 |
| 30SBAT  | Black Specular Reflector                  | 6 22697 06085 5 | 18                 |



353TBZ



353SN

## 353 Series – 6" Metal Baffle Trims

- Metallic finish trim rings and baffles
- Coil spring retention

### Available Products

| Model # | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------|-----------------|--------------------|
| 353TBZ  | Tuscan Bronze Trim and Baffle | 6 23961 31196 3 | 6                  |
| 353SN   | Satin Nickel Trim and Baffle  | 6 23961 11423 6 | 6                  |



78P



78PAT\*



78SN



78TBZ


## 78 Series – 6" Adjustable Eyeball Trims with 30° Tilt

- Wide choice of finishes for any decor
- 30° tilt, 360° rotation

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK.

### Available Products

| Model # | Description                               | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------|-----------------|--------------------|
| 78P     | White Trim with White Eyeball             | 6 62400 13062 8 | 6                  |
| 78PAT*  | White Trim with White Eyeball - AIR-TITE™ | 6 62400 61174 5 | 6                  |
| 78SN    | Satin Nickel Trim with Eyeball            | 6 23961 11379 6 | 6                  |
| 78TBZ   | Tuscan Bronze Trim with Eyeball           | 6 23961 31188 8 | 6                  |



## 70/170/270 Series – 6" Albalite Lens Trims


- White trim with frosted glass lens
- PS version is wet location Listed for use in showers, with non-conductive, non-corrosive gasketed polymer trim ring
- Torsion spring retention

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK.

\*\* For housing and trim compatibility refer to page 42

### Available Products

| Model # | Description                                | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------|-----------------|--------------------|
| 70PS    | Non-IC Wet Location, AIR-TITE™, White Trim | 6 62400 13039 0 | 12                 |
| 70P     | White Trim                                 | 6 62400 13038 3 | 12                 |
| 170P    | White Trim                                 | 6 62400 13075 8 | 6                  |
| 170PS   | Wet Location, AIR-TITE™, White Trim        | 6 62400 13076 5 | 6                  |
| 270PS   | CFL, Wet Location, White Trim              | 6 23961 52446 2 | 8                  |




## 172/272 Series – 6" Dome Shower Light Trims

- Frosted glass fume
- Wet location Listed for use in showers
- Non-conductive gasketed polymer trim
- Torsion spring retention

\* When using an AIR-TITE™ trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance, use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK.

### Available Products

| Model # | Description                         | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------|-----------------|--------------------|
| 172PS   | Wet Location, AIR-TITE™, White Trim | 6 62400 66355 3 | 6                  |
| 172SNS  | Wet Location, Satin Nickel Trim     | 6 23961 11427 4 | 6                  |
| 172TBZS | Wet Location, Tuscan Bronze Trim    | 6 23961 31203 8 | 6                  |
| 272PS   | CFL, Wet Location, White Trim       | 6 23960 26537 3 | 6                  |



## 300 Series – 6" Open Trims with Socket Support for IC Housings

- Open trim for BR and PAR lamps
- Torsion spring retention

### Available Products

| Model # | Description             | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------|-----------------|--------------------|
| 300P    | White Open Trim         | 6 62400 30242 1 | 6                  |
| 300SN   | Satin Nickle Open Trim  | 6 23961 11381 9 | 6                  |
| 300TBZ  | Tuscan Bronze Open Trim | 6 23961 31192 5 | 6                  |



301P



301SN



301TBZ

## 301 Series – 6" Open Trims for Non-IC Housings

- Open trim for BR and PAR lamps
- Coil spring retention

### Available Products

| Model # | Description             | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------|-----------------|--------------------|
| 301P    | White Open Trim         | 6 62400 13086 4 | 12                 |
| 301SN   | Satin Nickel Open Trim  | 6 23961 11380 2 | 12                 |
| 301TBZ  | Tuscan Bronze Open Trim | 6 23961 31190 1 | 12                 |



406WWB



406WB



406BA

## 406 Series – 6" Compact Fluorescent Metal Baffle Trims with Torsion Springs


- Trim consists of baffle, reflector and torsion springs
- For use with Halo® compact fluorescent housing (see individual housing label for correct CFL lamp)

### Available Products

| Model # | Description                                | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------|-----------------|--------------------|
| 406WWB  | White Baffle with White Reflector          | 6 22696 03217 4 | 15                 |
| 406WB   | White Baffle with Clear Specular Reflector | 6 62400 61582 8 | 6                  |
| 406BA   | Black Baffle with Clear Specular Reflector | 6 62400 61581 1 | 6                  |



498W




498P

## 498 Series – 6" Slope Baffle Trims

- One piece seamless baffle
- Baffle ridges are parallel to floor plane

### Available Products

| Model # | Description                        | Unit Carton UPC  | Master Carton Qty. |
|---------|------------------------------------|------------------|--------------------|
| 498W    | White Slope Trim with White Baffle | 0 66240 016733 4 | 4                  |
| 498P    | White Slope Trim with Black Baffle | 0 66240 013171 7 | 4                  |



## 6" AIR-TITE™ IC Rated Contractor Pack Includes 6 Housings and 6 Trims

- AIR-TITE™ pre-installed gasket prevents airflow between attic and living areas
- Thermally protected insulation contact (IC) housing
- Slide-N-Side™ junction box with Quick Connect™
- Got NAIL™ and Pass-N-Thru™ hanger bars on new construction housing
- White metal baffle with narrow and wide trim rings included

**CONTRACTOR  
PACK**

### Available Products

| Model #             | Description                   | Unit Carton UPC | Master Carton Qty. |
|---------------------|-------------------------------|-----------------|--------------------|
| H7ICATERT707WHT-6PK | AIR-TITE™ IC New Construction | 6 23961 39569 7 | 1                  |





## ALL-PRO™ Recessed Kits, Open Stock, Trims & Housings



### 4" Non-IC Rated Remodel Housing

- AIR-TITE™ housing prevents airflow between attic and living areas
- Non-IC Rated, for use in non-insulated ceilings
- Pre-installed Quick-Connect™ wiring connectors, 120V line voltage
- Adjustable socket bracket

#### Available Products

| Model #      | Description                      | Unit Carton UPC | Master Carton Qty. |
|--------------|----------------------------------|-----------------|--------------------|
| APET400RATSB | AIR-TITE™ Non-IC Remodel Housing | 0 80083 59328 6 | 6                  |



### 4" IC Rated New Construction Housing

- AIR-TITE™ housing prevents airflow between attic and living areas
- ALL NAIL!™ hanger bar system has preinstalled nails
- Hanger bars allow for easy adjustment
- Adjustable socket bracket with integral T-bar clip for grid ceilings
- Pre-installed Quick-Connect™ wiring connectors, 120V line voltage
- IC Rated, for direct contact with insulation

#### Available Products

| Model #     | Description                   | Unit Carton UPC | Master Carton Qty. |
|-------------|-------------------------------|-----------------|--------------------|
| APEI400ATSB | AIR-TITE™ IC New Construction | 0 80083 59330 9 | 6                  |





APERT401



APERT401WHT

## 4" High Gloss White Trim Ring with Baffle

- White high-gloss trim ring
- Plastic baffle

### Available Products

| Model #     | Description                  | Unit Carton UPC | Master Carton Qty. |
|-------------|------------------------------|-----------------|--------------------|
| APERT401    | White Trim with Black Baffle | 0 80083 59332 3 | 6                  |
| APERT401WHT | White Trim with White Baffle | 0 80083 59157 2 | 6                  |



## 4" High Gloss White Trim Ring with Eyeball

- White high-gloss trim ring
- 30° tilt, 360° rotation

### Available Products

| Model #  | Description                              | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------------|-----------------|--------------------|
| APERT402 | High Gloss White Trim with White Eyeball | 0 80083 59612 6 | 6                  |



## 4" High Gloss White Trim Ring with Clear Specular Reflector

- White high-gloss trim ring
- Clear specular reflector

### Available Products

| Model #  | Description                              | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------------|-----------------|--------------------|
| APERT403 | White Trim with Clear Specular Reflector | 0 80083 59159 6 | 6                  |



New Construction



Remodel

## 6" AIR-TITE™ IC Rated New Construction and Remodel Housing

- AIR-TITE™ housing prevents airflow between attic and living areas
- ALL NAIL!™ hanger bar system has preinstalled nails
- Hanger bars allow for easy adjustment
- Integral T-bar clip for grid ceilings
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation

### Available Products

| Model #    | Description                   | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------|-----------------|--------------------|
| APEI700AT  | AIR-TITE™ IC New Construction | 0 80083 59334 7 | 6                  |
| APEI700RAT | AIR-TITE™ IC Remodel Housing  | 0 80083 59336 1 | 6                  |





## 6" High Gloss Trim with Eyeball

- White high-gloss trim ring
- 30° tilt, 360° rotation
- Torsion spring retention

### Available Products

| Model #  | Description                              | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------------|-----------------|--------------------|
| APERT704 | High Gloss White Trim with White Eyeball | 0 80083 59338 5 | 6                  |



## 6" Trim High Gloss Open Trim

- White high-gloss trim ring
- Open trim for BR and PAR lamps
- Torsion spring retention

### Available Products

| Model #  | Description                | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------|-----------------|--------------------|
| APERT705 | High Gloss White Open Trim | 0 80083 59614 0 | 6                  |



707WHT  
Narrow & Wide Trim Ring included



707  
Narrow & Wide Trim Ring included

## 6" High Gloss Trim Ring with Metal Baffle

- White high-gloss trim ring
- Coil spring retention
- Narrow and wide trim ring included

### Available Products

| Model #     | Description                  | Unit Carton UPC | Master Carton Qty. |
|-------------|------------------------------|-----------------|--------------------|
| APERT707WHT | White Trim with White Baffle | 0 80083 59161 9 | 6                  |
| APERT707    | White Trim with Black Baffle | 0 80083 59163 3 | 6                  |



## 6" High Gloss White Trim Ring with Clear Specular Reflector

- White high-gloss trim ring
- Clear specular reflector
- Coil spring retention

### Available Products

| Model #  | Description                              | Unit Carton UPC | Master Carton Qty. |
|----------|------------------------------------------|-----------------|--------------------|
| APERT710 | White Trim with Clear Specular Reflector | 0 80083 60314 5 | 6                  |



## 6" High Gloss Trim Ring with Metal Baffle

- White high-gloss trim ring
- Socket supporting trim
- Torsion spring retention
- Metal baffle

### Available Products



| Model #       | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------------|------------------------------|-----------------|--------------------|
| APERT713WHTTS | White Trim with White Baffle | 0 80083 59165 7 | 6                  |



## 6" High Gloss Shower Light with Frosted Glass Lens

- White high-gloss trim ring
- Frosted glass lens
- Wet location listed for use in showers
- Non-conductive gasketed polymer trim
- Torsion spring retention

### Available Products



| Model #  | Description                                | Unit Carton UPC | Master Carton Qty. |
|----------|--------------------------------------------|-----------------|--------------------|
| APERT721 | Wet Location, White Trim with Frosted Lens | 0 80083 59477 1 | 6                  |

## 4" Non-IC Rated AIR-TITE™ Remodel Kit with White Baffle Includes Housing and Trim

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with white plastic baffle
- Includes ET400RATSB (remodel housing) and ERT401WHT (trim)

### Available Products



| Model #  | Description                                        | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------------------------------|-----------------|--------------------|
| AP4RATBW | Non-IC AIR-TITE™ Remodel with White Plastic Baffle | 0 80083 59598 3 | 1 Kit              |

## 4" Non-IC AIR-TITE™ – Remodel Kit with Black Baffle Includes Housing and Trim


**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with black plastic baffle
- Includes ET400RATSB (remodel housing) and ERT401 (trim)

### Available Products



| Model #  | Description                                        | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------------------------------|-----------------|--------------------|
| AP4RATBB | Non-IC AIR-TITE™ Remodel with Black Plastic Baffle | 0 80083 59288 3 | 1 Kit              |



## 4" Non-IC AIR-TITE™ – Remodel Kit with Clear Specular Reflector Includes Housing and Trim

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with clear specular reflector
- Includes ET400RATSB (remodel housing) and ERT403 (trim)

### Available Products

| Model #  | Description                                            | Unit Carton UPC | Master Carton Qty. |
|----------|--------------------------------------------------------|-----------------|--------------------|
| AP4RATRC | Non-IC AIR-TITE™ Remodel with Clear Specular Reflector | 0 80083 59600 3 | 1 Kit              |



## 5" IC AIR-TITE™ – Remodel Kit and Trim with Splay Trim

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with white splay
- Includes EI500RAT (remodel housing) and ERT500 (trim)

### Available Products

| Model #     | Description                                    | Unit Carton UPC | Master Carton Qty. |
|-------------|------------------------------------------------|-----------------|--------------------|
| AP5RICATSPW | IC AIR-TITE™ Remodel and Trim with White Splay | 0 80083 59289 0 | 1 Kit              |



## 5" IC AIR-TITE™ – Remodel Kit and Trim with Baffle

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with white baffle
- Includes EI500RAT (remodel housing) and ERT510WHT (trim)

### Available Products

| Model #    | Description                                     | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------------------------|-----------------|--------------------|
| AP5RICATBW | IC AIR-TITE™ Remodel and Trim with White Baffle | 0 80083 59290 6 | 1 Kit              |



## 5" IC AIR-TITE™ – Remodel Kit and Trim with Baffle

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with black baffle
- Includes EI500RAT (remodel housing) and ERT510 (trim)

### Available Products

| Model #    | Description                                     | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------------------------|-----------------|--------------------|
| AP5RICATBB | IC AIR-TITE™ Remodel and Trim with Black Baffle | 0 80083 59291 3 | 1 Kit              |





## 5" IC AIR-TITE™ – Remodel Kit and Trim with Eyeball

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with eyeball, 30° tilt
- Includes EI500RAT (remodel housing) and ERT570 (trim)

### Available Products

| Model #    | Description                                      | Unit Carton UPC | Master Carton Qty. |
|------------|--------------------------------------------------|-----------------|--------------------|
| AP5RICATEW | IC AIR-TITE™ Remodel and Trim with White Eyeball | 0 80083 59292 0 | 1 Kit              |



## 5" IC AIR-TITE™ – Remodel Kit and Shower Trim with Flat Frosted Lens

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Wet location listed for use in showers
- White high-gloss trim ring with frosted glass lens
- Includes EI500RAT (remodel housing) and ERT551 (trim)

### Available Products

| Model #    | Description                                                             | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------------------------------------------------|-----------------|--------------------|
| AP5RICATSW | IC AIR-TITE™ Remodel with Wet Location and White Trim with Frosted Lens | 0 80083 59602 7 | 1 Kit              |



## 6" IC AIR-TITE™ – Remodel Kit and Open Trim

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- Open white high gloss trim ring
- Includes EI700RAT (remodel housing) and ERT705 (trim)

### Available Products

| Model #    | Description                              | Unit Carton UPC | Master Carton Qty. |
|------------|------------------------------------------|-----------------|--------------------|
| AP7RICATOW | IC AIR-TITE™ Remodel and White Open Trim | 0 80083 59604 1 | 1 Kit              |



## 6" IC AIR-TITE™ – Remodel Kit and Trim with Baffle

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with white baffle, narrow and wide trim ring included
- Includes EI700RAT (remodel housing) and ERT707WHT (trim)

### Available Products

| Model #    | Description                                                   | Unit Carton UPC | Master Carton Qty. |
|------------|---------------------------------------------------------------|-----------------|--------------------|
| AP7RICATWB | IC AIR-TITE™ Remodel and Trim with White Baffle, 2 trim rings | 0 80083 59606 5 | 1 Kit              |





## 6" IC AIR-TITE™ – Remodel Kit and Trim with Baffle

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with black baffle, narrow and wide trim ring included
- Includes EI700RAT (remodel housing) and ERT707 (trim)

### Available Products

| Model #    | Description                                                   | Unit Carton UPC | Master Carton Qty. |
|------------|---------------------------------------------------------------|-----------------|--------------------|
| AP7RICATBB | IC AIR-TITE™ Remodel and Trim with Black Baffle, 2 trim rings | 0 80083 59608 9 | 1 Kit              |



## 6" IC AIR-TITE™ – Remodel Kit and Trim with Eyeball

**KIT**

- AIR-TITE™ housing prevents airflow between attic and living areas
- Pre-installed Quick-Connect™ wiring connectors
- IC rated, for direct contact with insulation
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with eyeball, 30° tilt
- Includes EI700RAT (remodel housing) and ERT704 (trim)

### Available Products

| Model #    | Description                                      | Unit Carton UPC | Master Carton Qty. |
|------------|--------------------------------------------------|-----------------|--------------------|
| AP7RICATEW | IC AIR-TITE™ Remodel and Trim with White Eyeball | 0 80083 59610 2 | 1 Kit              |



## 6" IC New Construction Air-Tite™ Contractor Pack Includes 4 Housings and 4 Trims

**CONTRACTOR PACK**

- AIR-TITE™ housing prevents airflow between attic and living areas
- ALL NAIL!™ hanger bar system has preinstalled nails
- Pre-installed Quick-Connect™ wiring connectors
- White high-gloss trim ring with white plastic baffle
- Includes (4) APEI700AT and (4) ERT714

### Available Products

| Model #                | Description                                   | Unit Carton UPC | Master Carton Qty. |
|------------------------|-----------------------------------------------|-----------------|--------------------|
| APEI700ATERT714WHT-4PK | IC New Construction Air-Tite™ Contractor Pack | 0 80083 59340 8 | 1                  |



## 6" IC Remodel Air-Tite™ Contractor Pack Includes 4 Housings and 4 Trims

**CONTRACTOR PACK**

- AIR-TITE™ housing prevents airflow between attic and living areas
- IC rated, for direct contact with insulation
- Pre-installed Quick-Connect™ wiring connectors
- Four remodel clips secure housing and accommodate 1/2" and 5/8" ceiling materials
- White high-gloss trim ring with white plastic baffle
- Includes (4) APEI700RAT and (4) ERT714

### Available Products

| Model #                | Description                          | Unit Carton UPC | Master Carton Qty. |
|------------------------|--------------------------------------|-----------------|--------------------|
| APEI700RATERT714WH-4PK | IC Remodel Air-Tite™ Contractor Pack | 0 80083 59342 2 | 1                  |





# Fluorescent Lighting


## Decorative, Wraps, Shoplights, Troffers

Our Metalux® product line offers an extensive selection of attractive, versatile and energy-efficient lighting fixtures ideal for most any application to residential and commercial spaces. With products spanning from T5 undercabinets to our new LED troffer, Metalux® products provide you with the quality and performance that you need.

**COOPER** Lighting


Metalux® new 2GRLED troffer represents a balance of best-in-class general purpose LED lighting and budget-conscious affordability. Built with a sturdy steel construction and a classic prismatic lens design, 2GRLED provides customers with over 50,000 hours of service life (twice the life of traditional fluorescents) and dimmability down to 10% with select dimmers, while offering a superior lighting performance.






### Decorative End Wrap – 4 ft. or 2 ft. /2 Lamp

- Linear wrap with decorative end plates
- White frost diffuser
- 120V Residential electronic ballast
- Uses (2) 32W T8 lamps (DEW232R) or (2) 17W T8 lamps (DEW217R) (sold separately)




#### Available Products

| Model # | Description                                                            | Unit Carton UPC |
|---------|------------------------------------------------------------------------|-----------------|
| DEW232R | 4 ft., 2-Lamp T8/32W, Decorative Linear Wrap, 120V Residential Ballast | 0 80083 61846 0 |
| DEW217R | 2 ft., 2-Lamp T8/17W, Decorative Linear Wrap, 120V Residential Ballast | 0 80083 61847 7 |



### Brushed Nickel Wrap – 4 ft. or 2 ft. /2 Lamp

- Brushed nickel rails and end plates
- White frost diffuser
- 120V Residential electronic ballast
- Uses (2) 32W T8 lamps (WP232RNKL) or (2) 17W T8 lamps (WP217RNKL) (sold separately)




#### Available Products

| Model #   | Description                                                         | Unit Carton UPC |
|-----------|---------------------------------------------------------------------|-----------------|
| WP232RNKL | 4 ft., 2-Lamp T8/32W, Brushed Nickel Wrap, 120V Residential Ballast | 0 80083 60017 5 |
| WP217RNKL | 2 ft., 2-Lamp T8/17W, Brushed Nickel Wrap, 120V Residential Ballast | 0 80083 61848 4 |



### Decorative Wood Trim – 4 ft. or 2 ft. /4 or 2 Lamp

- Solid wood trim with acrylic lens
- Snap Flush™ mounting for easy installation
- 120V Residential electronic ballast
- Uses (4) 32W T8 lamps (DT432OR, DT432WR & DT432UNR) or (2) 32W/U6T8 lamps (DT2U632OR & DT2U632WR) (sold separately)



#### Available Products

| Model #   | Description                                                                        | Unit Carton UPC |
|-----------|------------------------------------------------------------------------------------|-----------------|
| DT432WR   | 4 ft., 4-Lamp T8/32W, Wood Trim - White Finish, 120V Residential Ballast           | 0 80083 51889 0 |
| DT432OR   | 4 ft., 4-Lamp T8/32W, Wood Trim - Natural Oak Finish, 120V Residential Ballast     | 0 80083 51888 3 |
| DT432UNR  | 4 ft., 2-Lamp T8/32W, Wood Trim - Unfinished Wood, 120V Residential Ballast        | 0 80083 63082 0 |
| DT2U632WR | 2 ft., 2-U-Lamp U6T8/32W, Wood Trim - White Finish, 120V Residential Ballast       | 6 22697 49649 4 |
| DT2U632OR | 2 ft., 2-U-Lamp U6T8/32W, Wood Trim - Natural Oak Finish, 120V Residential Ballast | 6 22697 49642 5 |





### Wraparounds with Oak Trim Ends – 4 ft. / 4 or 2 Lamp

- Oak ends
- White acrylic diffuser
- 120V Residential electronic ballast
- Uses (4) 32W lamps (W2344-REB1) or (2) 32W lamps (W2324-REB1) (sold separately)



#### Available Products

| Model #    | Description                                                                   | Unit Carton UPC |
|------------|-------------------------------------------------------------------------------|-----------------|
| W2344-REB1 | 4 ft., 4-Lamp T8/32W, Wraparound with Oak Trim Ends, 120V Residential Ballast | 6 23961 46071 5 |
| W2324-REB1 | 4 ft., 2-Lamp T8/32W, Wraparound with Oak Trim Ends, 120V Residential Ballast | 6 23961 46028 5 |




WSC432R



WSC2U632R

### Decorative – Softside Cloud Residential 4 ft. or 2 ft. / 4 or 2 Lamp

- “Tuff-r-Puff™” lens eliminates breakage
- Easy surface mount installation
- 120V Residential electronic ballast
- Uses (4) 32W T8 lamps (WSC432R), (2) 32W T8 lamps (WSC232R) or (2) 32W U6T8 lamps (WSC2U632R) (sold separately)



#### Available Products

| Model #   | Description                                        | Unit Carton UPC |
|-----------|----------------------------------------------------|-----------------|
| WSC432R   | 4 ft., 4-Lamp T8/32W, 120V Residential Ballast     | 0 80083 52584 3 |
| WSC232R   | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast     | 0 80083 52363 4 |
| WSC2U632R | 2 ft., 2-U-Lamp U6T8/32W, 120V Residential Ballast | 6 23961 12642 0 |



### Decorative – Contemporary Eclipse Cloud 4 ft. / 4 Lamp

- Low profile, contemporary design
- Impact-resistant lens that eliminates breakage
- 120V Residential electronic ballast
- Uses (4) 32W T8 lamps (sold separately)



#### Available Products


| Model # | Description                                                       | Unit Carton UPC |
|---------|-------------------------------------------------------------------|-----------------|
| ECL432R | 4 ft., 4-Lamp T8/32W, Low Profile Cloud, 120V Residential Ballast | 0 80083 52684 0 |





### Utility Wrap – 4 ft. or 2 ft. /2 Lamp

- White steel housing
- Clear acrylic lens
- 120V Residential electronic ballast
- Uses (2) 32W T8 lamps (WP232R) or (2) 17W T8 lamps (WP217R) (sold separately)




#### Available Products

| Model # | Description                                                  | Unit Carton UPC |
|---------|--------------------------------------------------------------|-----------------|
| WP232R  | 4 ft., 2-Lamp T8/32W, Utility Wrap, 120V Residential Ballast | 0 80083 51865 4 |
| WP217R  | 2 ft., 2-Lamp T8/17W, Utility Wrap, 120V Residential Ballast | 0 80083 60016 8 |



### General Application Wraparound – 4 ft. or 2 ft. /4 or 2 Lamp

- Clear prismatic lens
- Hook and Latch lens simplifies lamp replacement
- Available with either residential or commercial electronic ballast
- Uses (4) 32W lamps (WN432R), (2) 32W lamps (WN232R) or (2) 17W lamps (WN217R) (sold separately)



#### Available Products

| Model # | Description                                                  | Unit Carton UPC |
|---------|--------------------------------------------------------------|-----------------|
| WN217R  | 2 ft., 2-Lamp T8/17W, 120V Residential Ballast - Energy Star | 0 80083 51648 3 |
| WN232R  | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast - Energy Star | 0 80083 51647 6 |
| WN432R  | 4 ft., 4-Lamp T8/32W, 120V Residential Ballast - Energy Star | 0 80083 51649 0 |
| WN217   | 2 ft., 2-Lamp T8/17W, 120V-277V Commercial Ballast           | 0 80083 52551 5 |
| WN232   | 4 ft., 2-Lamp T8/32W, 120V-277V Commercial Ballast           | 0 80083 50924 9 |
| WN432   | 4 ft., 4-Lamp T8/32W, 120V-277V Commercial Ballast           | 0 80083 50926 3 |



### Premium Application Wraparound – 4 ft. /4 or 2 Lamp


- Premium clear prismatic lens
- 120V-277V Commercial electronic ballast
- Easy removable diffuser for lamp replacement
- Uses (4) 32W lamps (WS432) or (2) 32W lamps (WS232R) (sold separately)



#### Available Products

| Model # | Description                                                            | Unit Carton UPC |
|---------|------------------------------------------------------------------------|-----------------|
| WS432   | 4 ft., 4-Lamp T8/32W, Premium Wraparound, 120V-277V Commercial Ballast | 0 80083 57367 7 |
| WS232   | 4 ft., 2-Lamp T8/32W, Premium Wraparound, 120V-277V Commercial Ballast | 0 80083 57368 4 |






### Decorative Puff Flush Mount – 22W or 32W Lamps

- Opal white acrylic diffuser
- Easy removable diffuser for lamp replacement
- Available in either saucer or square profiles
- Uses (1) 22W lamps (7413) or (1) 22W and 32W lamps (7033) (sold separately)




#### Available Products

| Model # | Description                                                              | Unit Carton UPC | Master Carton Qty |
|---------|--------------------------------------------------------------------------|-----------------|-------------------|
| 7413    | 11 in., 1-Circline Lamp 22W, Round Acrylic Saucer                        | 6 62401 38449 5 | 2                 |
| 7033    | 14 in., 1-Circline Lamp 22W and 1-Circline Lamp 32W, Square Acrylic Puff | 6 62401 72690 5 | 2                 |



### Decorative Wood Trim Flush Mount – 22W & 32W Lamps

- Matte white acrylic diffuser
- Wood trim accents
- Easy removable diffuser for lamp replacement
- Uses (1) 22W and 32W lamps (7508) - included



#### Available Products

| Model # | Description                                                                         | Unit Carton UPC | Master Carton Qty |
|---------|-------------------------------------------------------------------------------------|-----------------|-------------------|
| 7508    | 14 in., 1-Circline Lamp 22W and 1-Circline Lamp 32W, Mission Square with Amber Trim | 6 22696 20385 7 | 2                 |



### Utility Circline Flush Mount – 22W Lamp

- Bare lamp
- Lamp secures by spring clips
- Chrome finish
- Uses (1) 22W lamps (7112) (sold separately)



#### Available Products

| Model # | Description                               | Unit Carton UPC | Master Carton Qty |
|---------|-------------------------------------------|-----------------|-------------------|
| 7112    | 8 in., 1-Circline Lamp 22W, Chrome finish | 6 22401 72692 9 | 2                 |



### Standard Profile Undercabinet – T8 version

- White acrylic Tab-Loc diffuser
- Post painted finish
- 120V Residential electronic ballast
- Various lamp types - see below (sold separately)



#### Available Products

| Model #   | Description                                       | Unit Carton UPC |
|-----------|---------------------------------------------------|-----------------|
| UC18T8115 | 18 in., 1-Lamp T8/15W with Pre-Pack Rocker Switch | 0 80083 59481 8 |
| UC24T8117 | 24 in., 1-Lamp T8/17W with Pre-Pack Rocker Switch | 0 80083 59484 9 |
| UC36T8125 | 36 in., 1-Lamp T8/25W with Pre-Pack Rocker Switch | 0 80083 59586 0 |
| UC48T8132 | 48 in., 1-Lamp T8/32W with Pre-Pack Rocker Switch | 0 80083 59588 4 |



### Slim Profile Undercabinet – T5 version

- White acrylic Tab-Loc diffuser
- Post painted finish
- 120V Residential electronic ballast
- Various lamp types - see below (sold separately)




#### Available Products

| Model #    | Description                                                      | Unit Carton UPC |
|------------|------------------------------------------------------------------|-----------------|
| UC12T518   | 12 in., 1-Lamp T5/8W with Pre-Pack Rocker Switch                 | 0 80083 59480 1 |
| UC21T5113  | 21 in., 1-Lamp T5/13W with Pre-Pack Rocker Switch                | 0 80083 59482 5 |
| UC24T528   | 24 in., 2-Lamp T5/8W with Pre-Pack Rocker Switch                 | 0 80083 59483 2 |
| UC33T51813 | 33 in., 1-Lamp T5/8W & 1-Lamp T5/13W with Pre-Pack Rocker Switch | 0 80083 59485 6 |
| UC42T5213  | 42 in., 2-Lamp T5/13W with Pre-Pack Rocker Switch                | 0 80083 59587 7 |



### Vanity – 4 ft. or 2 ft. / 2 Lamp

- Opal white acrylic diffuser puff
- Uniform light distribution
- 120V Residential electronic ballast
- Uses (2) 32W lamps (6434-REB1) or (2) 17W lamps (6232-REB1) (sold separately)



#### Available Products

| Model #   | Description                                                      | Unit Carton UPC |
|-----------|------------------------------------------------------------------|-----------------|
| 6434-REB1 | 4 ft., 2-Lamp T8/32W, Vanity wall puff, 120V Residential Ballast | 6 23961 46051 7 |
| 6232-REB1 | 2 ft., 2-Lamp T8/17W, Vanity wall puff, 120V Residential Ballast | 0 80083 63084 4 |



### Utility Shoplight – 4 ft. / 2 Lamp

- 120V Electronic ballast
- (2) S-hook 10 in. chains included
- 6 foot cord with plug
- Light operates at 0°F
- Uses (2) 32W T8 lamps (sold separately)



#### Available Products

| Model # | Description                                                        | Unit Carton UPC |
|---------|--------------------------------------------------------------------|-----------------|
| SL232R  | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast, with Cord and Plug | 0 80083 53644 3 |



### Medium Grade Shoplight – 4 ft. / 2 Lamp

- 120V Electronic ballast
- Narrow reflector
- (2) S-hook 10 in. chains included
- 6 foot cord with plug and pull chain included
- Light operates at 0°F
- Uses (2) 32W T8 lamps (sold separately)



#### Available Products

| Model #  | Description                                                                         | Unit Carton UPC |
|----------|-------------------------------------------------------------------------------------|-----------------|
| SLNR232R | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast, Narrow Reflector with Cord and Plug | 0 80083 53645 0 |



### Heavy Duty Shoplight – 4 ft. / 2 Lamp

- 120V Electronic ballast
- Wide reflector
- (2) S-hook 10 in. chains included
- 6 foot cord with plug and pull chain included
- Light operates at 0°F
- Uses (2) 32W T8 lamps (sold separately)



#### Available Products

| Model #  | Description                                                                       | Unit Carton UPC |
|----------|-----------------------------------------------------------------------------------|-----------------|
| SLWR232R | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast, Wide Reflector with Cord and Plug | 0 80083 53646 7 |





### Narrow Residential Striplight

- Narrow striplight - 4 ft., 3ft. & 2 ft.
- 120V Residential ballast
- Uses (1) T12 fluorescent lamp (sold separately)




#### Available Products

| Model # | Description                                                                    | Unit Carton UPC |
|---------|--------------------------------------------------------------------------------|-----------------|
| SNF140H | 4 ft., 1-Lamp Narrow Strip T12/40W Magnetic Ballast <b>High Trigger Start</b>  | 6 23961 08555 0 |
| SNF140L | 4 ft., 1-Lamp Narrow Strip T12/40W Magnetic Ballast <b>Low Trigger Start</b>   | 6 23961 08556 7 |
| SNF130L | 3 ft., 1-Lamp Narrow Strip T12/30W Magnetic Ballast <b>Low Trigger Start</b>   | 6 23961 08499 7 |
| SNF120L | 2 ft., 1-Lamp Narrow Strip T12/20W Magnetic Ballast <b>Low Trigger Start</b>   | 6 23961 08498 0 |
| SNF120P | 2 ft., 1-Lamp Narrow Strip T12/40W Magnetic Ballast <b>Low Trigger Start</b>   | 6 23961 08497 3 |
| SNF115L | 18 in., 1-Lamp Narrow Strip T12/15W Magnetic Ballast <b>Low Trigger Start</b>  | 6 23961 08553 6 |
| SNF115P | 18 in., 1-Lamp Narrow Strip T12/15W Magnetic Ballast <b>Low Pre Heat Start</b> | 6 23961 08554 3 |




### Narrow Residential/Commercial Striplight

- Narrow striplight - 4 ft. & 2 ft. / 1 & 2 Lamp
- 120V Residential or 120V-277V commercial electronic ballast
- Linear disconnect only included on commercial models
- Uses various T8 fluorescent lamps (sold separately)




#### Available Products

| Model # | Description                                            | Unit Carton UPC |
|---------|--------------------------------------------------------|-----------------|
| SNF232R | 4 ft., 2-Lamp Narrow Strip T8/32W, Residential Ballast | 6 23961 08552 9 |
| SNF217R | 2 ft., 2-Lamp Narrow Strip T8/17W, Residential Ballast | 0 80083 52044 2 |
| SNF117R | 2 ft., 1-Lamp Narrow Strip T8/17W, Residential Ballast | 0 80083 52045 9 |
| SNF232  | 4 ft., 2-Lamp Narrow Strip T8/32W, Commercial Ballast  | 6 23961 08551 2 |
| SNF132  | 4 ft., 1-Lamp Narrow Strip T8/32W, Commercial Ballast  | 6 23961 08550 5 |



### Wide Residential/Commercial Striplight

- Wide striplight - 8 ft., 4 ft. 2 ft. / 2 Lamp
- 120V Residential or 120V-277V commercial electronic ballast
- Uses various T12 or T8 lamp types (sold separately)



#### Available Products

| Model #      | Description                                                                 | Unit Carton UPC |
|--------------|-----------------------------------------------------------------------------|-----------------|
| SSF296H04WP  | 8 ft., 2-Lamp Standard Strip T12/110W Electric Ballast - <b>High Output</b> | 6 23961 08572 7 |
| SSF296T124WP | 8 ft., 2-Lamp Standard Strip T12/75W Electric Ballast                       | 0 80083 52056 5 |
| SSF248H0     | 4 ft., 2-Lamp Standard Strip T12/48W Electric Ballast - <b>High Output</b>  | 6 23961 08573 4 |
| SSF240       | 4 ft., 2-Lamp Standard Strip T12/40W Electric Ballast                       | 0 80083 51754 1 |
| SSF230       | 3 ft., 2-Lamp Standard Strip T12/30W Magnetic Ballast                       | 6 23961 08574 1 |
| SSF220       | 2 ft., 2-Lamp Standard Strip T12/20W Magnetic Ballast                       | 6 23961 08559 8 |
| SSF2964WP    | 8 ft., 2-Lamp Standard Strip T8/59W, Commercial Ballast                     | 6 23961 08571 0 |
| 8TSSF232     | 8 ft., Tandem 4-Lamp Standard Strip T8/32W, Commercial Ballast              | 0 80083 51844 9 |
| SSF232       | 4 ft., 2-Lamp Standard Strip T8/32W, Commercial Ballast                     | 0 80083 51844 9 |




2GR8432R



2GR8U6T8R

### Troffer – Residential/Commercial – 4 ft. or 2 ft. /4, 3 or 2 Lamp

- Integral grid lock clip secures fixture in place
- 120V Residential or 120V-277V commercial electronic ballast
- Linear disconnect only included on commercial models
- Uses (4) 32W T8 lamps (2GR8432, 2GR8432L35W328G & 2GR832R), (3) 32W T8 lamps (2GR8332) or (2) U6T8/32W U-lamps (2GR8U6T8R) (sold separately)



#### Available Products

| Model #         | Description                                                                 | Unit Carton UPC |
|-----------------|-----------------------------------------------------------------------------|-----------------|
| 2GRLED133RT     | 2 ft., LED, 3300 Lumens, 120V-277V Commercial Driver                        | 0 80083 62816 2 |
| 2GR8432R        | 4 ft., 4-Lamp T8/32W, 120V Residential Ballast                              | 0 80083 50463 3 |
| 2GR8332         | 4 ft., 3-Lamp T8/32W, 120V-277V Commercial Ballast                          | 0 80083 50466 4 |
| 2GR8432         | 4 ft., 4-Lamp T8/32W, 120V-277V Commercial Ballast                          | 0 80083 50464 0 |
| 2GR8432L35W218G | 4 ft., 4-Lamp T8/32W, 120V-277V Commercial Ballast, Lamps and Whip Included | 0 80083 50465 7 |
| 2GR8U6T8R       | 2 ft., 2-U-Lamp U6T8/32W, 120V Residential Ballast                          | 0 80083 50468 8 |



### Troffer – Residential/Commercial – 4 ft. / 2 Lamp

- Troffer – Commercial 4ft. / 2 Lamp
- Clear prismatic lens
- Flange kit included for installation in hard ceilings
- 120V Residential or 120V-277V commercial electronic ballast
- Linear disconnect only included on commercial models
- Uses (2) 32W T8 fluorescent lamps (sold separately)



#### Available Products

| Model #  | Description                                        | Unit Carton UPC |
|----------|----------------------------------------------------|-----------------|
| FC8232   | 4 ft., 2-Lamp T8/32W, 120V Residential Ballast     | 0 80083 50467 1 |
| FC8232RT | 4 ft., 2-Lamp T8/32W, 120V-277V Commercial Ballast | 0 80083 63086 8 |



### Parabolic – Commercial 4 ft. / 3 Lamp

- 3 in. Deep silver louvers with 18 cells
- Integral grid lock clip secures fixture in place
- 120V-277V Commercial electronic ballast
- Uses (3) 32W T8 fluorescent lamps (sold separately)



#### Available Products

| Model # | Description                                        | Unit Carton UPC |
|---------|----------------------------------------------------|-----------------|
| 2EP332  | 4 ft., 3-Lamp T8/32W, 120V-277V Commercial Ballast | 0 80083 50469 5 |



# Exit / Emergency

## ALL-PRO™ Series

ALL PRO™ Exit and Emergency product line offers thin profile, sleek, LED emergency lighting for all applications. The innovative look allows for efficient packaging, providing 25% more shelf space and additional project-level inventory.

**COOPER** Lighting



- Size reductions up to 75% of traditional units
- Affordable LED exit and emergency lighting
- Low profile design with full size performance
- Single and dual head LED remotes in damp, or outdoor wet location listing available
- 5 year warranty

Advanced LED technology provides reduced size and remote head capability.



## APC, APCH Series

- Bright white, long-life LED heads
- High power combo capable of running two additional LED remote heads
- Dual voltage input 120/277 VAC, 60Hz
- Single and double face included
- Sealed nickel cadmium battery included
- Wall, ceiling or end mountable
- Universal J-box mounting pattern
- Operating temperature range 10°C to 40°C
- Low voltage disconnect
- Line-Latched
- Brownout circuit
- 5 year warranty



### Available Products

| Model # | Description                                                                       | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------------------------------------------------------|-----------------|--------------------|
| APC7R   | Self-Powered with LED Heads - Red lettering                                       | 0 80083 56655 6 | 8                  |
| APC7G   | Self-Powered with LED Heads - Green lettering                                     | 0 80083 56716 4 | 8                  |
| APCH7R  | Self-Powered with LED Heads,<br>High Power with Remote Capacity - Red lettering   | 0 80083 56717 1 | 8                  |
| APCH7G  | Self-Powered with LED Heads,<br>High Power with Remote Capacity - Green lettering | 0 80083 56718 8 | 6                  |



## APX Series

- Long-life LED lamps provide uniform diffused illumination
- Dual voltage input 120/277 VAC, 60Hz
- Single and double face included
- Sealed nickel cadmium battery included (APX7)
- Wall, ceiling or end mountable
- Universal J-box mounting pattern
- Operating temperature range 0°C to 50°C
- 5 year warranty



### Available Products

| Model # | Description                             | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------------|-----------------|--------------------|
| APX6R   | AC only LED - Red lettering             | 0 80083 56651 8 | 6                  |
| APX6G   | AC only LED - Green lettering           | 0 80083 56652 5 | 6                  |
| APX7R   | Self-Powered with LED - Red lettering   | 0 80083 56653 2 | 6                  |
| APX7G   | Self-Powered with LED - Green lettering | 0 80083 56654 9 | 6                  |

**APEL Series**

- Bright white, long-life LED heads
- Dual voltage input 120/277 VAC, 60 Hz
- Sealed nickel cadmium battery included
- Universal J-box mounting pattern
- Wall or ceiling mountable
- Operating temperature range of 10°C to 40°C
- Low voltage disconnect
- Line-latched
- Brownout circuit
- 5 year warranty

**Available Products**

| Model # | Description         | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------|-----------------|--------------------|
| APEL    | LED Emergency Light | 0 80083 56650 1 | 8                  |

**APR Series**

- Bright white, long-life LED heads
- Lamp heads adjust 80° from vertical with 358° rotation
- Single and double head option
- Universal mounting plate
- Wet location listed (APWR Only)
- 5 year warranty

**Available Products**

| Model # | Description                             | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------------|-----------------|--------------------|
| APR1    | Single Head Remote                      | 0 80083 56719 5 | 30                 |
| APR2    | Double Head Remote                      | 0 80083 56720 1 | 30                 |
| APWR1   | Single Head Remote, Wet Location Listed | 0 80083 60856 0 | 30                 |
| APWR2   | Double Head Remote, Wet Location Listed | 0 80083 60858 4 | 30                 |



# HALO® Track

## Lazer Track Lighting

HALO® track lighting products offer unmatched flexibility, versatility and performance.

**COOPER** Lighting

Lazer Track lighting by HALO® offers a series of line and low voltage products to meet all track lighting needs. Track lighting is the optimal solution when flexibility is a must and versatility is desired. HALO® Track provides solutions for both residential and retail displays.





## Lazer Small Roundback Cylinder with Baffle

- Streamlined roundback fixture family
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Matching arm allows lampholder to rotate and adjust



50W PAR20 bulb  
(sold separately)



### Available Products

| Model #  | Description                                                          | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------------------------------------------------|-----------------|--------------------|
| LZR301P  | Lazer Small Roundback Cylinder, Black Baffle - White R20, PAR20, A19 | 6 62400 61263 6 | 12                 |
| LZR301PW | Lazer Small Roundback Cylinder, White Baffle - White R20, PAR20, A19 | 6 62400 61266 7 | 12                 |



## Flatback Cylinder with Baffle

- Flatback cylinders blend with any decor or color scheme
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot



50W PAR20 bulb  
(sold separately)



### Available Products

| Model #  | Description                                                    | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------------------------------------------|-----------------|--------------------|
| LZR307P  | Lazer Flatback Cylinder, Black Baffle - White, R20, PAR20, A19 | 6 62400 61280 3 | 12                 |
| LZR307MB | Lazer Flatback Cylinder, Black Baffle - Black, R20, PAR20, A19 | 6 62400 61281 0 | 12                 |



## Lazer Low Voltage Roundback Cylinder with Transformer

- Streamlined roundback fixture family
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Matching arm allows lampholder to rotate and adjust



50W 12V MR16 bulb  
(sold separately)



### Available Products

| Model # | Description                                                                    | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------------------------------------------|-----------------|--------------------|
| LZR405P | Lazer Low Voltage Roundback Cylinder with Electronic Transformer - White, MR16 | 6 62400 68756 6 | 6                  |



Lazer Small Step Cylinder with Baffle

- Step cylinder lampholder with baffle
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Matching finish arm allows lampholder to rotate and adjust vertically



50W PAR20 bulb  
(sold separately)



Available Products

| Model #  | Description                                                     | Unit Carton UPC | Master Carton Qty. |
|----------|-----------------------------------------------------------------|-----------------|--------------------|
| LZR304P  | Lazer Small Step Cylinder, Back Baffle - White R20, PAR20, A19  | 6 62400 61271 1 | 12                 |
| LZR304PW | Lazer Small Step Cylinder, White Baffle - White R20, PAR20, A19 | 6 62400 61274 2 | 12                 |




Lazer Large Step Cylinder with Baffle

- Step cylinder lampholder with baffle
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Swivel maintains tension to keep lampholder properly aimed
- Matching finish arm allows lampholder to rotate and adjust vertically



150W PAR38 bulb  
(sold separately)



Available Products

| Model # | Description                                                 | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------------------------|-----------------|--------------------|
| LZR306P | Lazer Large Step Cylinder, Black Baffle - White, R40, PAR38 | 6 62400 61256 8 | 6                  |



Lazer Roundback Cylinder

- Streamlined roundback fixture family
- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Matching arm allows lampholder to rotate and adjust
- Lamp included



50W 120V MR16 bulb  
(included)



Available Products

| Model #   | Description                                       | Unit Carton UPC | Master Carton Qty. |
|-----------|---------------------------------------------------|-----------------|--------------------|
| LZR311PL  | Lazer Small Roundback Cylinder - White, 120V MR16 | 6 62400 68940 9 | 6                  |
| LZR311MBL | Lazer Small Roundback Cylinder - Black, 120V MR16 | 6 62400 68941 6 | 15                 |



## Lazer Low Voltage Gimbal Ring with Integral 12V Transformer

- Contemporary gimbal lampholder designed for style
- 338° horizontal rotation and 0° to 90° vertical pivot



50W 12V MR16 bulb  
(sold separately)



### Available Products

| Model # | Description                                                                             | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------------------------------------------------------------|-----------------|--------------------|
| LZR401P | Lazer Low Voltage Gimbal Ring with Integral 12V Electric Transformer - White, 50W, MR16 | 6 62400 61399 2 | 12                 |



## Lazer Gimbal Ring

- Contemporary gimbal lampholder
- 338° horizontal rotation and 0° to 90° vertical pivot



75W PAR30 bulb  
(sold separately)



### Available Products

| Model # | Description                          | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------|-----------------|--------------------|
| LZR330P | Lazer Gimbal Ring - White, 75W PAR30 | 6 62400 61329 9 | 6                  |



## Lazer Gimbal Ring

- Quick-lock adapter attaches anywhere along the track channel
- 338° horizontal rotation and 0° to 90° vertical pivot
- Matching finish yoke
- Lamp retention spring provides lamp regress for optimum lamp position




150W PAR38 bulb  
(sold separately)



### Available Products

| Model # | Description                           | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------------------|-----------------|--------------------|
| LZR338P | Lazer Gimbal Ring - White, 150W PAR38 | 6 62400 61331 2 | 6                  |



## Lazer Track

- Accepts both Lazer Track and Power-Trac luminaires
- Structural channel is extruded aluminum
- Conductors are sold copper encased in rigid extruded PVC insulators
- Visual polarity indicates proper electrical installation of fixtures

### Available Products

| Model # | Description                               | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------------|-----------------|--------------------|
| LZR102P | Lazer Single Circuit Track, 2 Ft. - White | 6 62400 61739 6 | 12                 |
| LZR104P | Lazer Single Circuit Track, 4 Ft. - White | 6 62400 61741 9 | 12                 |
| LZR108P | Lazer Single Circuit Track, 8 Ft. - White | 6 62400 61745 7 | 12                 |



## Lazer Live End Feed with Junction Box Cover

- For starting a run when mounted to a junction box

### Available Products

| Model # | Description                                         | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------------------------------|-----------------|--------------------|
| LZR200P | Lazer Live End Feed with Junction Box Cover - White | 6 62400 61700 6 | 24                 |



## Lazer Floating Canopy and Connector Feed

- To connect to existing electrical box anywhere along the track
- Canopy cover, connector, dead end and mounting hardware included

### Available Products

| Model # | Description                                      | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------------|-----------------|--------------------|
| LZR202P | Lazer Floating Canopy and Connector Feed - White | 6 62400 61704 4 | 24                 |



## Lazer Adjustable L and Straight Connector Feed

- To connect two track sections at right angles or straight end-to-end
- Includes straight and right angle covers

### Available Products

| Model # | Description                                            | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------------------------------------|-----------------|--------------------|
| LZR203P | Lazer Adjustable L and Straight Connector Feed - White | 6 62400 61706 8 | 48                 |



## Lazer Mini Connector

- For joining two sections end-to-end

### Available Products

| Model # | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------|-----------------|--------------------|
| LZR212P | Lazer Mini Connector - White | 6 62400 61722 8 | 96                 |



## Lazer T-Bar Clip

- For installing track to a suspended ceiling
- Kit contains 3 clips for mounting 2', 4', 6' or 8' track
- Order one kit for each track section
- Compatible with Halo and Lazer track

### Available Products

| Model # | Description      | Unit Carton UPC | Master Carton Qty. |
|---------|------------------|-----------------|--------------------|
| LZR207  | Lazer T-Bar Clip | 6 62400 61712 9 | 96                 |



## Lazer Cord and Plug Feed

- 10' three-wire cord with grounded plug
- Maximum capacity of 5 AMPS

### Available Products

| Model # | Description                      | Unit Carton UPC | Master Carton Qty. |
|---------|----------------------------------|-----------------|--------------------|
| LZR208P | Lazer Cord and Plug Feed - White | 6 62400 61714 3 | 24                 |



## Lazer Monopoint Feed

- For installing one Lazer low voltage lampholder
- Mounts directly to junction box
- 500 watt maximum

### Available Products

| Model # | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------|-----------------|--------------------|
| LZR209P | Lazer Monopoint Feed - White | 6 62400 61716 7 | 48                 |



# Bulbs & Accessories



## 800-0412

- Replacement 9.5 in. high impact prismatic lens
- Replacement lens for MD70HB/MD70HW

### Available Products

| Model #  | Description                | Unit Carton UPC | Master Carton Qty. |
|----------|----------------------------|-----------------|--------------------|
| 800-0412 | Replacement lens for MD70H | 0 44427 00580 4 | 1                  |



## EA24

- 24 in. aluminum arm with hardware – 2 in. diameter
- Fits most Dusk to Dawn security lights: models AL650IFL, AL70MH, AL100MH E-70-H, N150HNCI and similar fixtures by other manufacturers

### Available Products

| Model # | Description   | Unit Carton UPC | Master Carton Qty. |
|---------|---------------|-----------------|--------------------|
| EA24    | Extention arm | 0 44427 00071 7 | 1                  |



## SL4000

- Automatic light sensor
- Turns lights ON at dusk and OFF at dawn
- Raintight design
- 300 Watt capacity
- 120 Volts

### Available Products

| Model # | Description              | Unit Carton UPC | Master Carton Qty. |
|---------|--------------------------|-----------------|--------------------|
| SL4000  | Button Type Photo Sensor | 0 44427 00069 4 | 1                  |



## SL3120

- Twist-lock light sensor
- Turns lights ON at dusk and OFF at dawn
- 1,000 watt capacity
- 120 Volts
- Replacement sensor for the AL70MH, AL100MH, E-70-H, GT150HPS, N150HNCI

### Available Products

| Model # | Description               | Unit Carton UPC | Master Carton Qty. |
|---------|---------------------------|-----------------|--------------------|
| SL3120  | Twist & Lock Photo Sensor | 0 44427 53120 4 | 1                  |



## Replacement Entry and Patio Lens

- Replacement lens fits FE13PC/FE13PCW Dusk-to-Dawn entry and patio light
- Easy to install twist-on design
- Clear, high-impact design

### Available Products

| Model #  | Description              | Unit Carton UPC | Master Carton Qty. |
|----------|--------------------------|-----------------|--------------------|
| 800-0411 | Replacement Lens - Clear | 0 80083 6267 3  | 4                  |



## Wire Hook and Chain

- 36" Wire hook and chain
- Fits Metalux® strips

### Available Products

| Model # | Description                 | Unit Carton UPC | Master Carton Qty. |
|---------|-----------------------------|-----------------|--------------------|
| WHC36RT | 36 in., Wire Hook and Chain | 0 80083 60115 8 | 6                  |



## 2' x 4' / 2' x 2' Replacement Troffer Lens

- Replacement lens for 2' x 4' and 2' x 2' Metalux® recessed troffer
- Replacement lens fit Metalux® troffers only

### Available Products

| Model #      | Description                      | Unit Carton UPC | Master Carton Qty. |
|--------------|----------------------------------|-----------------|--------------------|
| R-A12-242G-U | 2' x 4' Replacement Troffer Lens | 6 62401 72364 5 | 10                 |
| R-A12-222G-U | 2' x 2' Replacement Troffer Lens | 6 62401 72363 8 | 20                 |

## HALO® Trim Replacement Springs

- Set of 4 coil replacement springs
- For use with 301, 310, 401 and 426 trims in the H7 Recessed Housing family



### Available Products

| Model # | Description                              | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------------------|-----------------|--------------------|
| RS7H    | Halo® Trim Replacement Springs, set of 4 | 6 6240061018 2  | 2                  |



## PLC13W

- Replacement for FE13PC/FE13PCW
- 4-Pin fluorescent lamp for electronic ballasts
- More light for less energy than incandescent floodlights
- White light color

### Available Products

| Model # | Description                        | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------------|-----------------|--------------------|
| PLC13W  | 13W CFL - Replacement for FE13PC/W | 0 44427 45034 5 | 4                  |



## 18/26/42 Watt Fluorescent Bulbs

- 4-Pin fluorescent lamps for electronic ballasts
- White light color

*\*Replacement for FNF26PC/W and FW26PC/W*

*\*\*Replacement for FW42PC*

### Available Products

| Model # | Description | Unit Carton UPC | Master Carton Qty. |
|---------|-------------|-----------------|--------------------|
| FML18   | 18W CFL     | 0 44427 45062 8 | 6                  |
| FML26   | 26W CFL*    | 0 44427 45063 5 | 4                  |
| FML42   | 42W CFL**   | 0 44427 45064 2 | 6                  |



## 42 Watt Fluorescent Bulb

- Replacement for MD42FLB/MD42FLW
- This lamp is a replacement bulb only and does not have a ballast
- This bulb will fail if used in any fixture not designed for use with a 42 Watt fluorescent bulb
- White light color
- Medium base
- Initial light output (brightness): 2,100 lumens

### Available Products

| Model # | Description                         | Unit Carton UPC | Master Carton Qty. |
|---------|-------------------------------------|-----------------|--------------------|
| B42FMED | 42W CFL - Replacement for MD42 FL/W | 0 80083 51026 9 | 4                  |




## 65 Watt Fluorescent Bulb

- Replacement for AL650IFL
- This lamp is a replacement bulb only and does not have a ballast
- This bulb will fail if used in any fixture not designed for use with a 65 watt fluorescent bulb
- White light color
- Mogul base
- Initial light output (brightness): 4,000 lumens

### Available Products

| Model # | Description                        | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------------|-----------------|--------------------|
| B65FMOG | 65W CFL - Replacement for AL650IFL | 0 80083 51027 6 | 4                  |



## 100 Watt Halogen Bulb

- 100 Watt halogen replacement bulb
- For use in Cooper Lighting models: MX1 series, MS278D series, MS248 series and similar products using 8.6mm bulbs
- Initial light output (brightness): 1,300 lumens
- 2,000 Hours average bulb life
- 120 Volts with GY8.6 base

### Available Products

| Model #  | Description      | Unit Carton UPC | Master Carton Qty. |
|----------|------------------|-----------------|--------------------|
| BP86100Q | 100W Halogen SEQ | 0 44427 30004 6 | 6                  |




## 300/500 Watt Halogen Bulbs

- Halogen bulb, premium quality, grade A
- For use with 300 Watt and 500 Watt quarts halogen models and similar fixtures
- Initial light output (brightness): 10,500 lumens
- 2,000 Hours average bulb life
- 120 Volts

### Available Products

| Model # | Description      | Unit Carton UPC | Master Carton Qty. |
|---------|------------------|-----------------|--------------------|
| BP-300Q | 300W Halogen DEQ | 0 44427 00074 8 | 6                  |
| BP-500Q | 500W Halogen DEQ | 0 44427 00026 7 | 6                  |



## 150 Watt Halogen Bulbs

- 150 Watt halogen bulb
- Premium quality, grade A
- For use with 150 Watt halogen models and other similar fixtures
- Initial light output (brightness): 2,400 lumens
- 2,000 Hours average bulb life

### Available Products

| Model # | Description      | Unit Carton UPC | Master Carton Qty. |
|---------|------------------|-----------------|--------------------|
| BP-150Q | 150W Halogen DEQ | 0 44427 00195 0 | 6                  |



## 175 Watt Mercury Vapor Bulb

- Durable, long-life construction
- White light color
- Mogul base

### Available Products

| Model #    | Description                   | Unit Carton UPC | Master Carton Qty. |
|------------|-------------------------------|-----------------|--------------------|
| H39KB175/6 | 175W Mogul Base Mercury Vapor | 0 44427 59178 9 | 6                  |



## 100 Watt Mercury Vapor Bulb

- For use with 100 Watt and 125 Watt mercury vapor fixtures
- Durable, long-life construction
- White light color
- Medium base

### Available Products

| Model #     | Description                    | Unit Carton UPC | Master Carton Qty. |
|-------------|--------------------------------|-----------------|--------------------|
| H38100MDX/4 | 100W Medium Base Mercury Vapor | 0 44427 00106 6 | 4                  |



## 70 Watt High Pressure Sodium Bulb

- Durable, long-life construction
- Amber light color
- Medium base

### Available Products

| Model # | Description                  | Unit Carton UPC | Master Carton Qty. |
|---------|------------------------------|-----------------|--------------------|
| LU70M/4 | 70W HPS replacement for E70H | 0 44427 00300 8 | 4                  |

|                      |    |                             |    |                          |    |                   |    |                   |    |
|----------------------|----|-----------------------------|----|--------------------------|----|-------------------|----|-------------------|----|
| 170P.....            | 47 | 993TBZ.....                 | 37 | FN18PCW.....             | 24 | LZR202P.....      | 72 | PQS2504IN1.....   | 32 |
| 170PS.....           | 47 | 993W.....                   | 37 | FN26PC.....              | 24 | LZR203P.....      | 72 | PQS45.....        | 32 |
| 172PS.....           | 47 | 998P.....                   | 38 | FN26PCW.....             | 24 | LZR207.....       | 73 | PQS600R.....      | 32 |
| 172SNS.....          | 47 | 998PB.....                  | 38 | FSL2030L.....            | 13 | LZR208P.....      | 73 | PWT250BR.....     | 17 |
| 172TBZS.....         | 47 | 998SN.....                  | 38 | FSL2030LES.....          | 13 | LZR209P.....      | 73 | PWT250PC.....     | 22 |
| 270PS.....           | 47 | 998TBZ.....                 | 38 | FSL2030LPC.....          | 19 | LZR212P.....      | 73 | PWT250PCW.....    | 22 |
| 272PS.....           | 47 | 999H.....                   | 38 | FSL2030LPCES.....        | 19 | LZR301P.....      | 69 | PWT250WH.....     | 17 |
| 2EP332.....          | 64 | 999MB.....                  | 38 | FSL2030LPCW.....         | 19 | LZR301PW.....     | 69 | QL-500-WL.....    | 14 |
| 2GR8332.....         | 64 | 999P.....                   | 38 | FSL2030LPCWES.....       | 19 | LZR304P.....      | 70 | R-A12-222G-U..... | 76 |
| 2GR8432.....         | 64 | 999RG.....                  | 38 | FSL2030LW.....           | 13 | LZR304PW.....     | 70 | R-A12-242G-U..... | 76 |
| 2GR8432L35W218G..... | 64 | 999SN.....                  | 38 | FSL2030LWES.....         | 13 | LZR306P.....      | 70 | RL406830SN.....   | 35 |
| 2GR8432R.....        | 64 | 999TBZ.....                 | 38 | FSS1530L.....            | 13 | LZR307MB.....     | 69 | RL406830WH.....   | 35 |
| 2GR8U6T8R.....       | 64 | 999W.....                   | 38 | FSS1530LES.....          | 13 | LZR307P.....      | 69 | RL560SN-R.....    | 35 |
| 2GRLED133RT.....     | 64 | AL100MH.....                | 20 | FSS1530LPC.....          | 19 | LZR311MBL.....    | 70 | RL560WH-18PK..... | 35 |
| 300P.....            | 47 | AL6501FL.....               | 20 | FSS1530LPCES.....        | 19 | LZR311PL.....     | 70 | RL560WH-R.....    | 35 |
| 300SN.....           | 47 | AL70MH.....                 | 20 | FSS1530LPCW.....         | 19 | LZR330P.....      | 71 | RS7H.....         | 76 |
| 300TBZ.....          | 47 | AP4RATBB.....               | 52 | FSS1530LPCWES.....       | 19 | LZR338P.....      | 71 | SL232R.....       | 62 |
| 301P.....            | 48 | AP4RATBW.....               | 52 | FSS1530LW.....           | 13 | LZR401P.....      | 71 | SL3120.....       | 75 |
| 301SN.....           | 48 | AP4RATRC.....               | 53 | FSS1530LWES.....         | 13 | LZR405P.....      | 69 | SL4000.....       | 75 |
| 301TBZ.....          | 48 | AP5RICATBB.....             | 53 | FT2030L.....             | 13 | MD42FLB.....      | 21 | SLNR232R.....     | 62 |
| 30PAT.....           | 46 | AP5RICATBW.....             | 53 | FT2030LES.....           | 13 | MD42FLW.....      | 21 | SLWR232R.....     | 62 |
| 30SBAT.....          | 46 | AP5RICATEW.....             | 54 | FT2030LPC.....           | 19 | MD70HB.....       | 21 | SNF115L.....      | 63 |
| 30SNAT.....          | 46 | AP5RICATSPW.....            | 53 | FT2030LPCES.....         | 19 | MD70HW.....       | 21 | SNF115P.....      | 63 |
| 30TBZAT.....         | 46 | AP5RICATSW.....             | 54 | FT2030LPCW.....          | 19 | ML300Q.....       | 15 | SNF117R.....      | 63 |
| 30WATH.....          | 46 | AP7RICATBB.....             | 55 | FT2030LPCWES.....        | 19 | ML300QW.....      | 15 | SNF120L.....      | 63 |
| 310P.....            | 45 | AP7RICATEW.....             | 55 | FT2030LW.....            | 13 | MQF150.....       | 15 | SNF120P.....      | 63 |
| 310SN.....           | 45 | AP7RICATOW.....             | 54 | FT2030LWES.....          | 13 | MQF150W.....      | 15 | SNF130L.....      | 63 |
| 310TBZ.....          | 45 | AP7RICATWB.....             | 54 | FW26PC.....              | 24 | MS100PG.....      | 10 | SNF132.....       | 63 |
| 310W.....            | 45 | APC7G.....                  | 66 | FW26PCW.....             | 24 | MS180.....        | 8  | SNF140H.....      | 63 |
| 353SN.....           | 46 | APC7R.....                  | 66 | FW42PC.....              | 24 | MS180W.....       | 8  | SNF140L.....      | 63 |
| 353TBZ.....          | 46 | APCH7G.....                 | 66 | FW42PCW.....             | 24 | MS185.....        | 8  | SNF217R.....      | 63 |
| 406BA.....           | 48 | APCH7R.....                 | 66 | GP-500-WL.....           | 14 | MS185D.....       | 6  | SNF232.....       | 63 |
| 406WB.....           | 48 | APCI400ATSB.....            | 49 | GP800WL.....             | 14 | MS185DW.....      | 6  | SNF232R.....      | 63 |
| 406WWB.....          | 48 | APCI700AT.....              | 50 | GT100MH.....             | 21 | MS185R.....       | 7  | SP100.....        | 17 |
| 410P.....            | 45 | APCI700ATERT714WHT-4PK..... | 55 | H270ICAT.....            | 45 | MS185RW.....      | 7  | SP100PC.....      | 25 |
| 410W.....            | 45 | APCI700RAT.....             | 50 | H270RICAT.....           | 45 | MS185W.....       | 8  | SP50LPC.....      | 25 |
| 498P.....            | 48 | APCI700RATERT714WH-4PK..... | 55 | H271ICAT.....            | 45 | MS187D.....       | 6  | SQS5050D.....     | 31 |
| 498W.....            | 48 | APCL.....                   | 67 | H271RICAT.....           | 45 | MS187DW.....      | 6  | SSF220.....       | 63 |
| 5000P.....           | 40 | APERT401.....               | 50 | H272ICAT.....            | 45 | MS188.....        | 8  | SSF230.....       | 63 |
| 5000SN.....          | 40 | APERT401WHT.....            | 50 | H272RICAT.....           | 45 | MS188W.....       | 8  | SSF232.....       | 63 |
| 5000TBZ.....         | 40 | APERT402.....               | 50 | H27ICAT.....             | 43 | MS245R.....       | 7  | SSF240.....       | 63 |
| 5001MB.....          | 41 | APERT403.....               | 50 | H27ICT.....              | 44 | MS245RW.....      | 7  | SSF248H0.....     | 63 |
| 5001P.....           | 41 | APERT704.....               | 51 | H27RICAT.....            | 43 | MS248.....        | 7  | SSF2964WP.....    | 63 |
| 5001SN.....          | 41 | APERT705.....               | 51 | H27RICT.....             | 44 | MS248W.....       | 7  | SSF296H04WP.....  | 63 |
| 5001TBZ.....         | 41 | APERT707.....               | 51 | H27RT.....               | 44 | MS276RD.....      | 6  | SSF296T124WP..... | 63 |
| 5010.....            | 41 | APERT707WHT.....            | 51 | H27T.....                | 44 | MS276RDW.....     | 6  | TMQ150.....       | 14 |
| 5010W.....           | 41 | APERT710.....               | 51 | H38100MDX/4.....         | 79 | MS280D.....       | 5  | TMQ150W.....      | 14 |
| 5020BL.....          | 40 | APERT713WHITS.....          | 52 | H39KB175/6.....          | 78 | MS280DW.....      | 5  | TQS1000QD.....    | 31 |
| 5020H.....           | 40 | APERT721.....               | 52 | H47ICAT.....             | 44 | MS34.....         | 9  | TQS1200QDR.....   | 31 |
| 5020P.....           | 40 | APET400RATSB.....           | 49 | H47ICT.....              | 44 | MS34W.....        | 9  | UC12T518.....     | 61 |
| 5020RG.....          | 40 | APR1.....                   | 67 | H47T.....                | 44 | MS600.....        | 9  | UC18T8115.....    | 61 |
| 5020SC.....          | 40 | APR2.....                   | 67 | H5ICAT.....              | 39 | MS600W.....       | 9  | UC21T5113.....    | 61 |
| 5020SN.....          | 40 | APWR1.....                  | 67 | H5RICAT.....             | 39 | MS80.....         | 9  | UC24T528.....     | 61 |
| 5020TBZ.....         | 40 | APWR2.....                  | 67 | H5RT.....                | 40 | MS80W.....        | 9  | UC24T8117.....    | 61 |
| 5054PS.....          | 41 | APX6G.....                  | 66 | H5T.....                 | 40 | MSL18920L.....    | 3  | UC33T51813.....   | 61 |
| 5054SNS.....         | 41 | APX6R.....                  | 66 | H750ICAT.....            | 35 | MSL18920LES.....  | 3  | UC36T8125.....    | 61 |
| 5054TBZS.....        | 41 | APX7G.....                  | 66 | H750RICAT.....           | 35 | MSL18920LW.....   | 3  | UC42T5213.....    | 61 |
| 5070P.....           | 41 | APX7R.....                  | 66 | H7ICAT.....              | 43 | MSL18920LWES..... | 3  | UC48T8132.....    | 61 |
| 5070PB.....          | 41 | B42FMED.....                | 77 | H7ICATERT707WHT-6PK..... | 48 | MSLED100.....     | 11 | VT100G.....       | 17 |
| 5070SN.....          | 41 | B65FMOG.....                | 77 | H7ICT.....               | 43 | MSLED180.....     | 11 | W-35-H/PC.....    | 24 |
| 5070TBZ.....         | 41 | BP-150Q.....                | 78 | H7RICAT.....             | 43 | MSLED180W.....    | 11 | W-70-H/PC.....    | 24 |
| 6232-REB1.....       | 61 | BP-300Q.....                | 78 | H7RICT.....              | 43 | MSRU180W.....     | 10 | W2324 -REB1.....  | 58 |
| 6434-REB1.....       | 61 | BP-500Q.....                | 78 | H7RT.....                | 43 | MSS11315L.....    | 3  | W2344 -REB1.....  | 58 |
| 7033.....            | 60 | BP86100Q.....               | 78 | H7T.....                 | 43 | MSS11315LES.....  | 3  | WHC36RT.....      | 76 |
| 70P.....             | 47 | DEW217R.....                | 57 | H995ICAT.....            | 34 | MSS11315W.....    | 3  | WN217.....        | 59 |
| 70PS.....            | 47 | DEW232R.....                | 57 | H995RICAT.....           | 34 | MSS11315WES.....  | 3  | WN217R.....       | 59 |
| 7112.....            | 60 | DSL70HB.....                | 22 | H99ICAT.....             | 37 | MST18920L.....    | 4  | WN232.....        | 59 |
| 7413.....            | 60 | DT2U6320R.....              | 57 | H99RTAT.....             | 36 | MST18920LES.....  | 4  | WN232R.....       | 59 |
| 7508.....            | 60 | DT2U632WR.....              | 57 | H99TAT.....              | 36 | MST18920LW.....   | 4  | WN432.....        | 59 |
| 78P.....             | 46 | DT4320R.....                | 57 | HQ500WL.....             | 15 | MST18920LWES..... | 4  | WN432R.....       | 59 |
| 78PAT.....           | 46 | DT432UNR.....               | 57 | HQW500.....              | 15 | MST27920L.....    | 4  | WP217R.....       | 59 |
| 78SN.....            | 46 | DT432WR.....                | 57 | HS5.....                 | 10 | MST27920LES.....  | 4  | WP217RNKL.....    | 57 |
| 78TBZ.....           | 46 | E-70-H.....                 | 20 | HS8.....                 | 10 | MST27920LW.....   | 4  | WP232R.....       | 59 |
| 800-0411.....        | 76 | EA24.....                   | 75 | LED100.....              | 29 | MST27920LWES..... | 4  | WP232RNKL.....    | 57 |
| 800-0412.....        | 75 | ECL432R.....                | 58 | LED105.....              | 29 | MT125.....        | 16 | WQ300.....        | 14 |
| 8TSSF232.....        | 63 | EQ-300-WL.....              | 14 | LED110.....              | 28 | MT125W.....       | 16 | WQ500.....        | 14 |
| 951PS.....           | 37 | FC8232.....                 | 64 | LED120.....              | 28 | MT250.....        | 16 | WQ800.....        | 14 |
| 951SNS.....          | 37 | FC8232RT.....               | 67 | LED125.....              | 27 | MT250PC.....      | 22 | WS232.....        | 59 |
| 951TBZS.....         | 37 | FE13PC.....                 | 23 | LED125C.....             | 27 | MT250PCW.....     | 22 | WS432.....        | 59 |
| 953P.....            | 38 | FE13PCW.....                | 23 | LED130.....              | 27 | MT250W.....       | 16 | WSC232R.....      | 58 |
| 953SN.....           | 38 | FFL23PC-T24.....            | 23 | LED130C.....             | 27 | MX1.....          | 16 | WSC2U632R.....    | 58 |
| 953TBZ.....          | 38 | FFL23PCW-T24.....           | 23 | LU70M/4.....             | 79 | MX1W.....         | 16 | WSC432R.....      | 58 |
| 953W.....            | 38 | FML18.....                  | 77 | LZR102P.....             | 72 | N150HNCI.....     | 20 |                   |    |
| 993P.....            | 37 | FML26.....                  | 77 | LZR104P.....             | 72 | PFL23PC-T24.....  | 23 |                   |    |
| 993PB.....           | 37 | FML42.....                  | 77 | LZR108P.....             | 72 | PFL23PCW-T24..... | 23 |                   |    |
| 993SN.....           | 37 | FN18PC.....                 | 24 | LZR200P.....             | 72 | PLC13W.....       | 77 |                   |    |

## Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**Cooper Lighting, LLC**  
Customer First Center  
1121 Highway 74 South  
Peachtree City, GA 30269

P: 800-334-6871  
F: 770-486-4587

[www.cooperlighting.com](http://www.cooperlighting.com)

**Canada**  
Cooper Lighting, LLC  
5925 McLaughlin Road  
Mississauga, Ontario L5R 1B8

P: 905-507-4000  
F: 905-568-7049

Cooper Lighting, ALL-PRO, Halo, and Metalux are valuable trademarks of Cooper Industries in the United States and other countries. You are not permitted to use the Cooper Trademarks without the prior written consent of Cooper Industries.

**Cooper Industries, Ltd.**  
600 Travis, Ste. 5800  
Houston, TX 7702-1001  
P: 713-209-8400  
[www.cooperindustries.com](http://www.cooperindustries.com)